geostom®

РЕШЕНИЯ ДЛЯ ИМПЛАНТАЦИИ GeoMEDI



geostom.pro

We are exploring excellent dental implant solutions

Since 2009, we have been developing patient-customize abutment, and all of our dentists and dental technicians are also trying to make the fittest implant prosthesis for each individual person.

For Ideal Implant Restorations

We have a commitment to provide the best implant solution at a reasonable price, easy and fast way for everyone.

Co-Cr Abutment Wax up & Casting

CAD/CAM Abutment CAD design & CAM milling

For Digital Implant Solution

It is possible to make implant prosthesis by using a scanner, dental CAD, milling machine and 3D printer as developing our own digital solution for dental clinic and laboratory.



Contents

- Company History / Certification ------- 04
- Dental CAD/CAM System Workflow ---- 05
- Design concept ---------- 06
  - GMS Scanbody /SC Scanbody --------- 06
  - TiN screw / Geo LS Multibase --------- 08
  - Geo LL Multibase ---------- 09
  - Geo CMFit / Reverse Jig ---------- 10
  - Geo Multi-Holder for CMFit ---------- 11
  - 3D-Analog ---------- 12
  - Geo CAD/CAM prosthetic system with digital library ------ 13
- Compatible Implant Systems ---------- 14
  - Osstem Implant TS - - - - - - - - - - 14
  - Osstem Implant US - - - - - - - - - - 15
  - Osstem Implant SS - - - - - - - - - - 16
  - Dentium Super-Line / Implantium - - - - 17
  - Dentium NR-Line - - - - - - - - - - - 18
  - Megagen AnyRidge - - - - - - - - - - 19
  - Megagen AnyOne - - - - - - - - - - - 20
  - Megagen EZ-plus - - - - - - - - - - 21
  - Megagen Ex-Feel (Internal) - - - - - - 22
  - Megagen MiNi - - - - - - - - - - - - 22
  - DIO SM - - - - - - - - - - - - - - - 23
  - DIO UF / UFII - - - - - - - - - - - - 23
  - NeoBiotech IS - - - - - - - - - - - - 24
  - Dentis S-Clean / OneQ - - - - - - - - 25
  - Straumann Bone Level - - - - - - - - 26
  - Straumann Tissue Level - - - - - - - 27
  - Straumann BLX - - - - - - - - - - - 27
  - Nobel Biocare Active - - - - - - - - 28
  - Nobel Biocare Branemark - - - - - - - 29
  - Nobel Biocare Replace - - - - - - - - 30
  - Dentsply Xive / Frialit2 - - - - - - - 31
  - Dentsply Ankylos - - - - - - - - - - 32
  - Biomet 3i Certain - - - - - - - - - - 33
  - Biomet 3i Osseotite - - - - - - - - - 34
  - Implant Direct 3.0 - - - - - - - - - - 35
  - Zimmer Tapered Screw-vent - - - - - - 36
  - Zimmer Spline - - - - - - - - - - - - 37
  - Astra Tech Osseospeed TX - - - - - - 38
  - Astra Tech Osseospeed EV - - - - - - 39
  - Camlog - - - - - - - - - - - - - - - 40
  - Conelog - - - - - - - - - - - - - - - 40
  - MIS SEVEN - - - - - - - - - - - - - - 41
  - MIS C1 - - - - - - - - - - - - - - - - 42
  - SIC ace / max - - - - - - - - - - - - 43
  - Thommen SPI - - - - - - - - - - - - - 44
  - BEGO - - - - - - - - - - - - - - - - - 45
  - MYTIS Arrow Implant - - - - - - - - - 46
  - Kyocera POI - - - - - - - - - - - - - 47
  - Kyocera FINESIA - - - - - - - - - - - 47
  - Biohorizons Laser-Lok 3.0 - - - - - - - 48
  - Anthogyr AXIOM - - - - - - - - - - 49
  - Warantec Oneplant - - - - - - - - - - 50
  - Warantec IU - - - - - - - - - - - - - 50
  - Tekka In-Kone - - - - - - - - - - - - 51
  - Keystone PrimaConnex / Max-TL - - - - 52
  - Neodent CM - - - - - - - - - - - - - 53
  - Neodent GM - - - - - - - - - - - - - 53
  - Bicon Implant - - - - - - - - - - - - 54
  - Medentika IPS - - - - - - - - - - - - 55
  - GC Aadva Implant - - - - - - - - - - - 55
  - BIOTECH KONTACT - - - - - - - - - 56
  - Medentis medical ICX - - - - - - - - 57
  - B&B Dental - - - - - - - - - 58
  - Bredent Medical Sky - - - - - - - - 58
  - NEOSS ProActive - - - - - - - - - 59
  - Champions (R)evolution - - - - - - - - 59
- MultiUnit(Multi-base) ---------- 60
- GTS Transfer Scanbody ---------- 62
- Sirona Multibase ---------- 64
- CCM Casting Abutment ---------- 68
- Geo Screw Driver ---------- 73
- Instructions of CAD/CAM Abutment ------ 76
- Instructions of CCM Casting Abutment ----- 77
- Geo Library ---------- 79
- Selection of Library ---------- 80
- Geo Bridge-Single Library ---------- 81
- Products List ---------- 83

Company History & Certification

2009
01 Released Geo CCM Abutment

2010
03 Established Geodent.

2011
12 Released Geo Link, CMFit, Library, Geo Driver

2012
10 The 1st Geo Symposium at Seoul National University

2013
08 Obtained KGMP
08 Obtained KFDA – Implant, endosseous, laboratory supplies
10 Obtained KFDA – Geo Link abutment, Geo CCM abutment
12 Obtained KFDA – Geo CMFit abutment
12 Established GeoMedi Co.,Ltd.

2014
07 Obtained KFDA – TCP
09 The 2nd Geo Symposium at Seoul Trade Exhibition & Convention

2015
02 Obtained ISO13485, International Organization for Standardization' Medical devices Certification
02 Obtained CE, the European quality certification
04 Released Geo CAD/CAM system, Geo Mill
06 Certified as a venture business
07 Expansion & Relocation of corporation
09 Established research institute affiliated with a corporation

2016
03 Obtained KFDA - Geo Scanbody, Geo 3D Analog, Geo screw
06 Obtained KFDA – Geo Multibase abutment
09 Obtained CFDA (China) – Geo Scanbody, Geo 3D analog

2017
07 Obtained CE - Geo CCM abutment, Geo CMFit abutment *(Withdrawal, 2023.05)
07 Obtained EN ISO13485 : 2012
11 Obtained certification of INNOBIZ - Ministry of SMEs and Startups

2018
05 Obtained CE Multibase – Geo Multibase abutment
11 Obtained EN ISO13485 : 2016 (31720001)
12 Achieved 1 Million dollors in export

2019
01 Obtained FDA – Keystone connection abutment (Link, Premill)
09 Obtained certification of MainBIZ - Ministry of SMEs and Startups

2020
02 Obtained KFDA – Geo GTS transfer scanbody, Geo Multiscrew abutment
10 Obtained PMDA (Japan) – Geo Multibase abutment AR(SUM/SURO/ASR/ASW)

2021
03 Obtained PMDA (Japan) – Geo Multibase abutment IR(ITR/ITW/ISR/ISW)
04 Being selected as a Small-Giant enterprises by Ministry of Employment and Labor
04 Obtained Kyrgyzstan - Geo CCM abutment, Geo CMFit abutment, Geo Multibase abutment, Geo Multiscrew abutment, Geo GTS transfer scanbody, Geo healing cap, Geo Scanbody, Geo Impression coping, Geo 3D analog
05 Obtained KFDA - OMEGA System
05 Obtained CE - Geo GTS transfer scanbody, Geo Multiscrew abutment *(Withdrawal, 2023.05)
12 Certified as a venture business - Innovative Growth

2022
04 Obtained RZN (Russia) – Geo GMS scanbody
04 Obtained PMDA (Japan) – Geo Multibase abutment BD(BLS/BLM/BLR)
07 Obtained Kazakhstan - Geo CCM abutment, Geo CMFit abutment, Geo Multibase abutment, Geo Multiscrew abutment, Geo healing cap, Geo Scanbody, Geo GMS scanbody, Geo Impression coping, Geo 3D analog, Geo LB Cylinder, Geo Temporary Cylinder
11 Obtained RZN (Russia) – Geo Multiscrew abutment, Geo CCM abutment, Geo CMFit abutment, Geo Multibase abutment
11 Obtained FDA - Biomet 3i OSSEOTITE^2 Certain^2, NobelActive, NobelReplace Conical Connection, NobelParallel Conical, Nobel Replace Internal Tri-Channel Connection abutment (Link, Premill)

2023
10 Obtained Saudi Arabia – Geo Multibase abutment

2024
05 Obtained Thailand - Geo Scanbody, Geo GMS scanbody, Geo Impression coping, Geo 3D analog, Geo screwdriver, Geo Torque wrench, Geo Screw

Dental CAD/CAM System Workflow

1. Scanbody inserting




Model and Intra-oral

2. Scanning





3. Designing – 3shape / exocad



Geo Library System

Geo
Abutment & Libraries
with CAD/CAM

4. Milling




Multi-jig for CMFit



Titanium blank

5. RP and 3D printing



3D Analog

7. Setting




6. Sintering


Design concept

GMS Scanbody (Intra-oral)

- Biocompatible Titanium (Ti-6Al-4V ELI) from CARPENTER Co. guarantees high-durability.
- Autoclavable.
- Special coating allows spray-free scanning.
- Providing two different sizes - 7.5mm(Short) / 11.5mm(Long)
- Consistent performance & Visibility in X-ray.
- Various implant systems are available.
- Providing highly precise Geo Library for various CAD software. (3Shape, Exocad, Dental Wings)
- Customized abutment design for CNC & Pre-milled blank is available.
- Zirconia prosthesis designing with multi-base.



GMS Short(7.5mm) GMS Long(11.5mm)



Easy to verify implant system by laser marking code
Providing match-position.
Identifying the size by its appearance.
D-cut allows advanced library matching.

Design concept

GMS Scanbody (Intra-oral)



SC Scanbody(Model)


Scanbody for Plaster & 3D printing model.
Teflon-coating allows spray-free scanning.
Providing accurate scan data.




Design concept

TiN Screw

Tin-coated (Surface treatment)
- High abrasion resistance
- Improved fixation of screw





Providing two screws
- Titanium screw for dental lab workflow
- Tin-coating screw for final setting


LS Multibase

Screw channel path can be changed for different angle
(ball type angled driver necessary)

LS Multibase for Anterior.
Customized Zirconia abutment.

Grooves - Good adhesive strength.
No need for sandblasting.
Tin-coating - High esthetic.


Geo Multibase & Screw made of Titanium Grade ELI
Two Screws - TiN coating screw & Titanium screw



Design concept

LL Multibase

LL Multibase height is editable on Geo Library.




Grooves - Good adhesive strength.
No need for sandblasting.


Natural curve to make emergence profile

Tin-coating - High esthetic.
LL Multibase for Posterior.

NEW Item

Gingival height - 2.0mm
height - 6.0mm





Gingival height-1.3mm --> height-5.5mm
Gingival height-2.0mm --> height-6.0mm
Two types of gingival height are available.



Zirconia - Screw retained restorations
Customized Zirconia abutment
Geo Multibase & Screw made of Titanium Grade ELI
Two Screws - TiN coating screw & Titanium screw



Design concept


Geo CMFit [Premill Blank]



Two types of diameter size are available (Φ10, Φ14)
Laser marking - Geo implant system code
Two screws – Tin coating screw & Titanium screw
Qualified material - Ti-6Al-4V ELI made by CARPENTER co.

Reverse Jig






The capability of occlusal milling
No support pin is required.
Original screws are used to fix premill blank.
* GEO milling holder & machine flexibility are required.

Design concept

Geo Multi-Holder for CMFit




● Datron



● imes-icore

Multi-holder and Reverse holder





● VHF Z4




Geo multi holder shows compatibility with various milling machines.
Available with all geo premill blanks.

● VHF N4










Design concept

Geo 3D Analog




3D Analog has grooves for additional retention.
And extra space allows material-filling to make higher stability.

Pioneer of providng 3D digital Analog
Can be used both stone model & 3D printed model
Reasonable price with excellent durability
Provided all type of implant system
Stainless Steel



Cross section
3D Analog / LL -Link / Zirconia



Design concept

Geo CAD/CAM prosthetic system with digital library

Dental CAD s/w

3shape exocad dental wings


Dental CAM s/w

FOLLOW-ME! TECHNOLOGY GROUP hyperDENT

sum3d DENTAL One step beyond MILL BOX

vhf

Geo Scanbody





Scanbody that provides the precise library matching according to the user's environment.


CMFit Abutment

Geo libraries provide stable and accurate sitting of customized abutments



Multibase Abutment






Geo Ti-base abutment is well known for its emphasis on aesthetic and functional design.

*Various gingival heights are available with dedicated library.

3D Analog


Multi-functional analog can be used for both plaster(stone) model and 3D printing model.






Retention groove on 3D analog and extra space to fill up wax provides stable fix

Bridge & Single Library






By cooperation with dental CAM s/w companies, precise direct interface milling from Geo-geometry is available.

Compatible Implant Systems

Osstem Implant TS

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				1.2Hex 20Ncm Ø3.0 /3 .5 30Ncm Ø4.0/4.5/5.0

Description–Library code		0101 - SUM	0102 - SUR0
Product \ Connection Platform Ø		TS Mini Ø3.0 / 3.5	TS Standard Ø4.0/4.5/5.0
SC-Scanbody		SC-SUM	SC-SUR0
GMS-Scanbody(Short)		GMS-SUMS	GMS-SUR0S
GMS-Scanbody(Long)		GMS-SUML	GMS-SUR0L
LL-Multibase (Single)	GH : 1.3	LL2-SUM13-H2	LL2-SUR013-H2
	GH : 2.0	LL2-SUM20-H2	LL2-SUR020-H2
	GH : 3.0	-	LL2-SUR030-H2
	GH : 4.0	-	LL2-SUR040-H2
LL-Multibase (Bridge)	GH : 1.3	LL2-SUM13-N2	LL2-SUR013-N2
	GH : 2.0	LL2-SUM20-N2	LL2-SUR020-N2
	GH : 3.0	-	LL2-SUR030-N2
	GH : 4.0	-	LL2-SUR040-N2
LS-Multibase / Single		LS2-SUM-H2	LS2-SUR0-H2
LS-Multibase / Bridge		LS2-SUM-N2	LS2-SUR0-N2
CMFit Abutment(S) / Ø10		CMFit10-SUM-H2	CMFit10-SUR0-H2
CMFit Abutment(B) / Ø10		CMFit10-SUM-N2	CMFit10-SUR0-N2
CMFit Abutment(S) / Ø14		CMFit14-SUM-H2	CMFit14-SUR0-H2
CMFit Abutment(B) / Ø14		-	CMFit14-SUR0-N2
3D-Analog		3D-SUM	3D-SUR0
Screw(5ea)		AC-SUM5	AC-SUR05

Compatible Implant Systems

Osstem Implant US

*set (Scanbody/Link/CMFit Abutment + screw)




SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.2Hex 30Ncm

Description-Library code / Connection Platform Ø / Product	0103 - EXM US Mini Ø3.5	0104 - EXR US Regular Ø4.1	0105 - EXW US Wide Ø5.1
SC-Scanbody	SC-EXM	SC-EXR	SC-EXW
GMS-Scanbody(Short)	GMS-EXMS	GMS-EXRS	GMS-EXWS
GMS-Scanbody(Long)	GMS-EXML	GMS-EXRL	GMS-EXWL
LL-Multibase / Single	LL2-EXM-H2	LL2-EXR-H2	LL2-EXW-H2
LL-Multibase / Bridge	LL2-EXM-N2	LL2-EXR-N2	LL2-EXW-N2
LS-Multibase / Single	LS2-EXM-H2	LS2-EXR-H2	LS2-EXW-H2
LS-Multibase / Bridge	-	-	-
CMFit Abutment(S) / Ø10	CMFit10-EXM-H2	CMFit10-EXR-H2	CMFit10-EXW-H2
CMFit Abutment(B) / Ø10	-	CMFit10-EXR-N2	-
CMFit Abutment(S) / Ø14	CMFit14-EXM-H2	CMFit14-EXR-H2	CMFit14-EXW-H2
3D-Analog	3D-EXM	3D-EXR	3D-EXW
Screw(5ea)	AC-EXM5	AC-EXR5	AC-EXW5

Compatible Implant Systems

Osstem Implant SS

*Set (Scanbody/Multibase/CMFit Abutment + screw)



SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.2Hex 30Ncm

Description-Library code	0106 - ISR	0107 - ISW
Connection Platform Ø / Product	SS Regular Ø4.8	SS Wide Ø6.0
SC-Scanbody	SC-ISRW	SC-ISRW
GMS-Scanbody(Short)	GMS-ISRS	GMS-ISWS
GMS-Scanbody(Long)	GMS-ISRL	GMS-ISWL
LL-Multibase / Single	LL2-ISR-02	LL2-ISW-02
LL-Multibase / Bridge	LL2-ISR-N2	LL2-ISW-N2
LS-Multibase / Single	-	-
CMFit Abutment / Ø10	CMFit10-ISR-02	CMFit10-ISW-02
CMFit Abutment / Ø14	CMFit14-ISR-02	CMFit14-ISW-02
3D-Analog	3D-ISR	3D-ISW
Screw(5ea)	AC-EXR5	AC-EXR5

Compatible Implant Systems

Dentium Super-Line / Implantium

*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
				 1.27Hex 25~30Ncm


Description-Library code		0201 - DER
Product \ Connection Platform Ø		Universal ⬡ Ø3.7/4.0/4.5
SC-Scanbody		SC-DER
GMS-Scanbody(Short)		GMS-DERS
GMS-Scanbody(Long)		GMS-DERL
LL-Multibase (Single)	GH : 1.3	LL2-DER13-H2
	GH : 2.0	LL2-DER20-H2
	GH : 3.0	LL2-DER30-H2
LL-Multibase (Bridge)	GH : 1.3	LL2-DER13-N2
	GH : 2.0	LL2-DER20-N2
	GH : 3.0	LL2-DER30-N2
LS-Multibase / Single		LS2-DER-H2
LS-Multibase / Bridge		LS2-DER-N2
CMFit Abutment(S) / Ø10		CMFit10-DER-H2
CMFit Abutment(B) / Ø10		CMFit10-DER-N2
CMFit Abutment(S) / Ø14		CMFit14-DER-H2
CMFit Abutment(B) / Ø14		CMFit14-DER-N2
3D-Analog		3D-DER
Screw(5ea)		AC-DER5

Compatible Implant Systems

Dentium NR-Line

*Set (Scanbody/Multibase/CMFit Abutment + screw)

OS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-	-	-


Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
	-	-		■ 1.0square 20Ncm

Description-Library code	0202 - DNR
Product \ Connection Platform Ø	Standard ◯ Ø3.1/3.6/4.3
OS-Scanbody	OS-DNR
LL-Multibase / Single	-
LL-Multibase / Bridge	-
LS-Multibase / Single	-
CMFit Abutment / Ø10	CMFit10-DNR-R
CMFit Abutment / Ø14	-
3D-Analog	-
Screw(5ea)	AC-DNR5

Compatible Implant Systems

Megagen AnyRidge

*Set (Scanbody/Multibase/CMFit Abutment + screw)



SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
				 1.2Hex 35Ncm

Description–Library code		0301 - MARR
Product \ Connection Platform Ø		Universal  Ø3.5/4.0/4.5
SC-Scanbody		SC-MARR
GMS-Scanbody(Short)		GMS-MARRS
GMS-Scanbody(Long)		GMS-MARRL
LL-Multibase (Single)	GH : 1.3	LL2-MARR-H2
	GH : 2.0	LL2-MARR20-H2
	GH : 3.0	LL2-MARR30-H2
LL-Multibase (Bridge)	GH : 1.3	LL2-MARR-N2
	GH : 2.0	LL2-MARR20-N2
	GH : 3.0	-
LS-Multibase / Single		LS2-MARR-H2
CMFit Abutment / Ø10		CMFit10-MARR-H2
CMFit Abutment / Ø14		CMFit14-MARR-H2
3D-Analog		3D-MARR
Screw(5ea)		AC-MARR5

Compatible Implant Systems

Megagen AnyOne

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral) *Using 1.27Hex Driver*	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.2Hex 25Ncm

Description-Library code		0302 - DERA
Product \ Connection Platform Ø		Universal ⬡ Ø3.5/4.0/4.5/5.0
SC-Scanbody		SC-DER
GMS-Scanbody(Short)		GMS-DERS
GMS-Scanbody(Long)		GMS-DERL
LL-Multibase (Single)	GH : 1.3	LL2-DERA13-H2
	GH : 2.0	LL2-DERA20-H2
	GH : 3.0	LL2-DERA30-H2
LL-Multibase (Bridge)	GH : 1.3	LL2-DERA13-N2
	GH : 2.0	LL2-DERA20-N2
	GH : 3.0	LL2-DERA30-N2
LS-Multibase / Single		LS2-DERA-H2
LS-Multibase / Bridge		-
CMFit Abutment(S) / Ø10		CMFit10-DERA-H2
CMFit Abutment(B) / Ø10		CMFit10-DERA-N2
CMFit Abutment(S) / Ø14		CMFit14-DERA-H2
CMFit Abutment(B) / Ø14		CMFit14-DERA-N2
3D-Analog		3D-DER
Screw(5ea)		AC-MA05

Compatible Implant Systems

Megagen EZ-plus

*Set (Scanbody/Multibase/CMFit Abutment + screw)



SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-	-	-	-
∅10 CMFit Abutment	∅14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
	-	-		1.2Hex 35Ncm

Description-Library code	0303 - MEPM	0304 - MEPR
Connection Platform ∅ / Product	∅3.3	∅4.0/4.5/5.0
SC-Scanbody	SC-MEPM	SC-MEPR
GMS-Scanbody(Short)	-	-
GMS-Scanbody(Long)	-	-
LL-Multibase / Single	-	-
LL-Multibase / Bridge	-	-
LS-Multibase / Single	-	-
CMFit Abutment / ∅10	CMFit10-MEPM-E	CMFit10-MEPR-E
CMFit Abutment / ∅14	-	-
3D-Analog	-	-
Screw(5ea)	AC-MEPM5	AC-MEPR5

Compatible Implant Systems

Megagen ExFeel Internal


*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				1.2Hex / 30Ncm

Description–Library code	0305 - ITRK
Connection Platform Ø / Product	Regular  Ø4.8
SC-Scanbody	SC-ITRK
GMS-Scanbody(Short)	-
GMS-Scanbody(Long)	-
LL-Multibase / Single	LL2-ITRK-O2
LL-Multibase / Bridge	LL2-ITRK-N2
LS-Multibase / Single	-
CMFit Abutment(S) / Ø10	CMFit10-ITRK-O2
CMFit Abutment(B) / Ø10	CMFit10-ITRK-N2
CMFit Abutment(S) / Ø14	CMFit14-ITRK-O2
3D-Analog	3D-ITR
Screw(5ea)	AC-EXR5

Megagen MiNi

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	Single LL-Multibase	Ø10 CMFit Abutment	Screw	Driver (Ncm)	
	-			1.2Hex	
				15Ncm	Mini 3.0/3.25

Description–Library code	0306 - MMN
Connection Platform Ø / Product	MINI  Ø3.0/3.25
SC-Scanbody	SC-MMN
LL-Multibase / Single	-
CMFit Abutment / Ø10	CMFit10-MMN-H
Screw(5ea)	AC-MMN5

Compatible Implant Systems

DIO SM

*set (Scanbody/Link/CMFit Abutment + screw)



SC-Scanbody(Model)	∅10 CMFit Abutment	Single LS-Multibase	Screw	Driver (Ncm)
		-		 1.7 Torx 30Ncm

Description-Library code	0401 - DSMM	0402 - DSMR
Connection Platform ∅ / Product	Mini  ∅3.8 /4.1	Regular  ∅4.5 / 5.0
Scanbody	SC-DSMM	SC-DSMR
LS-Multibase / Single	-	-
CMFit Abutment ∅10	CMFit10-DSMM-T	CMFit10-DSMR-T
Screw(5ea)	AC-DSMM5	AC-DSMR5

DIO UF / UFII

*set (Scanbody/Link/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	 (11.5mm) (7.5mm)			-


∅10 CMFit Abutment	∅14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
				 1.2Hex 20Ncm ∅3.0/3.3 30Ncm ∅3.8/4.0/4.5/5.0

Description-Library code		0403 - DN30	0404 - SURD
Connection Platform ∅ / Product		UFII Narrow  ∅3.0/3.3	Standard  ∅3.8/4.0/4.5/5.0
SC-Scanbody		SC-MMN	SC-SURO
GMS-Scanbody(Short)		-	GMS-SUROS
GMS-Scanbody(Long)		-	GMS-SUROL
LL-Multibase (Single)	GH : 1.3	-	LL2-SURD-H2
	GH : 2.0	-	LL2-SURD20-H2
	GH : 3.0	-	LL2-SURD30-H2
LL-Multibase (Bridge)	GH : 1.3	-	LL2-SURD-N2
	GH : 2.0	-	LL2-SURD20-N2
	GH : 3.0	-	LL2-SURD30-N2
CMFit Abutment(S) / ∅10		CMFit10-DN30-H	CMFit10-SURD-H2
CMFit Abutment(B) / ∅10		-	CMFit10-SURD-N2
CMFit Abutment(S) / ∅14		-	CMFit14-SURD-H2
CMFit Abutment(B) / ∅14		-	CMFit14-SURD-N2
3D-Analog		-	3D-SURO
Screw(5ea)		AC-DN305	AC-SURD5

Compatible Implant Systems

NeoBiotech IS

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				1.2Hex 30Ncm / Ø3.5/4.0/4.5/5.0

Description-Library code		0501 - DERN
Product \ Connection Platform Ø		Standard ⬡ Ø3.5/4.0/4.5/5.0
SC-Scanbody		SC-SURO
GMS-Scanbody(Short)		GMS-DERNS
GMS-Scanbody(Long)		GMS-DERNL
LL-Multibase (Single)	GH : 1.3	LL2-DERN-H2
	GH : 2.0	LL2-DERN20-H2
LL-Multibase (Single)	GH : 1.3	LL2-DERN-N2
	GH : 2.0	LL2-DERN20-N2
LS-Multibase / Single		-
CMFit Abutment(S) / Ø10		CMFit10-DERN-H2
CMFit Abutment(B) / Ø10		CMFit10-DERN-N2
CMFit Abutment(S) / Ø14		CMFit14-DERN-H2
CMFit Abutment(B) / Ø14		CMFit14-DERN-N2
3D-Analog		3D-DER
Screw(5ea)		AC-DERN5

Compatible Implant Systems

Dentis S-Clean / One Q

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.25Hex 30Ncm

Description-Library code		0601- DERT
Product \ Connection Platform Ø		Regular  Ø 4.2/4.7/5.2/6.0
SC-Scanbody		SC-DER
GMS-Scanbody(Short)		GMS-DERS
GMS-Scanbody(Long)		GMS-DERL
LL-Multibase (Single)	GH : 1.3	LL2-DERT13-H2
	GH : 2.0	-
LL-Multibase (Bridge)	GH : 1.3	LL2-DERT13-N2
	GH : 2.0	-
LS-Multibase / Single		-
CMFit Abutment(S) / Ø10		CMFit10-DERT-H2
CMFit Abutment(S) / Ø14		CMFit14-DERT-H2
3D-Analog		3D-DER
Screw(5ea)		AC-DERT5

Compatible Implant Systems

Straumann Bone Level

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 Torx 35Ncm


Description–Library code		0700 - BLS	0701 - BLM	0702 - BLR
Product \ Connection Platform Ø		SC Ø2.9	NC Ø3.3	RC Ø4.1/4.8
SC-Scanbody		-	SC-BLM	SC-BLR
GMS-Scanbody(Short)		-	GMS-BLMS	GMS-BLRS
GMS-Scanbody(Long)		GMS-BLSL	GMS-BLML	GMS-BLRL
LL-Multibase (Single)	GH : 1.3	LL2-BLS-R2	LL2-BLM-R2	LL2-BLR-R2
	GH : 2.0	-	LL2-BLM20-R2	LL2-BLR20-R2
	GH : 3.0	-	-	LL2-BLR30-R2
LL-Multibase (Bridge)	GH : 1.3	-	LL2-BLM-N2	LL2-BLR-N2
	GH : 2.0	-	LL2-BLM20-N2	LL2-BLR20-N2
	GH : 3.0	-	-	-
LS-Multibase / Single		-	LS2-BLM-R2	LS2-BLR-R2
CMFit Abutment / Ø10		CMFit10-BLS-R2	CMFit10-BLM-R2	CMFit10-BLR-R2
CMFit Abutment / Ø14		-	CMFit14-BLM-R2	CMFit14-BLR-R2
3D-Analog		3D-BLS	3D-BLM	3D-BLR
Screw(5ea)		AC-BLS5	AC-BLM5	AC-BLR5

Compatible Implant Systems

Straumann Tissue Level

*Set (Scanbody/Multibase/CMFit Abutment + screw)



SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	 (10mm) (7.5mm)			

Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
				Torx 35Ncm

Description–Library code		0703 - IT35	0704 - ITR	0705 - ITW
Product \ Connection Platform Ø		NN Ø3.5	RN Ø4.8	WN Ø6.5
SC-Scanbody		SC-IT35	SC-ITRW	SC-ITRW
GMS-Scanbody(Short)		-	GMS-ITRS	GMS-ITWS
GMS-Scanbody(Long)		-	GMS-ITRL	GMS-ITWL
LL-Multibase (Single)	GH : 1.3	-	LL2-ITR-02	LL2-ITW-02
	GH : 2.0	-	LL2-ITR20-02	LL2-ITW20-02
LL-Multibase (Bridge)	GH : 1.3	-	LL2-ITR-N2	LL2-ITW-N2
	GH : 2.0	-	LL2-ITR20-N2	LL2-ITW20-N2
LS-Multibase / Single		LS2-IT35-0	LS2-ITR-02	LS2-ITW-02
CMFit Abutment / Ø10		CMFit10-IT35-0	CMFit10-ITR-02	CMFit10-ITW-02
CMFit Abutment / Ø14		-	CMFit14-ITW-02	CMFit14-ITW-02
3D-Analog		-	3D-ITR	3D-ITW
Screw(5ea)		AC-IT355	AC-IT5	AC-IT5

Straumann BLX

*Set (Scanbody/Multibase/CMFit Abutment + screw)

GMS-Scanbody (Intra-Oral)	Single LL-Multibase	Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw
 (10mm)					


Description–Library code		0710 - BLX	0711 - BLXW
Product \ Connection Platform Ø		Ø3.75/4.5	Ø 5.5/6.5
GMS-Scanbody(Long)		GMS-BLXL	GMS-BLXL
LL-Multibase / Single		LL2-BLX-T2	-
CMFit Abutment / Ø10		CMFit10-BLX-T2	CMFit10-BLXW-T2
CMFit Abutment / Ø14		CMFit14-BLX-T2	CMFit14-BLXW-T2
3D-Analog		3D-BLX	-
Screw(5ea)		AC-BLX5	AC-BLX5

Driver (Ncm)
Torx 35Ncm

Compatible Implant Systems

Nobel Biocare Active

*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 unigrip 15Ncm Ø3.0 35Ncm Ø3.5/4.3/5.0/6.0

Description–Library code		0801- AC30	0802- ACN	0803- ACR	0804- ACW
Connection Platform Ø / Product		Ø3.0	NP Ø3.5	RP Ø4.3/5.0	WP Ø5.5
Scanbody		OS-AC30	SC-ACN	SC-ACR	SC-ACW
GMS-Scanbody(Short)		-	GMS-ACNS	GMS-ACRS	GMS-ACWS
GMS-Scanbody(Long)		-	GMS-ACNL	GMS-ACRL	GMS-ACWL
LL-Multibase (Single)	GH : 1.3	LL2-AC30-T2	LL2-ACN-H2	LL2-ACR-H2	LL2-ACW-H2
	GH : 2.0	-	LL2-ACN20-H2	LL2-ACR20-H2	-
LL-Multibase (Bridge)	GH : 1.3	-	LL2-ACN-N2	LL2-ACR-N2	LL2-ACW-N2
	GH : 2.0	-	LL2-ACN20-N2	LL2-ACR20-N2	-
LS-Multibase / Single		LS2-AC30-T2	LS2-ACN-H2	LS2-ACR-H2	-
CMFit Abutment / Ø10		CMFit10-AC30-T2	CMFit10-ACN-H2	CMFit10-ACR-H2	CMFit10-ACW-H2
CMFit Abutment / Ø14		-	CMFit14-ACN-H2	CMFit14-ACR-H2	CMFit14-ACW-H2
3D-Analog		3D-AC30	3D-ACN	3D-ACR	3D-ACW
Screw(5ea)		AC-AC305	AC-ACN5	AC-ACR5	AC-ACR5

Compatible Implant Systems

Nobel Biocare Branemark

*Set (Scanbody/Multibase/CMFit Abutment + screw)



SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 unigrip 35Ncm

Description-Library code / Connection Platform Ø / Product	0805 - EXMB NP Ø3.5	0806 - EXRB RP Ø4.1	0807 - EXWB WP Ø5.1
SC-Scanbody	SC-EXMB	SC-EXRB	SC-EXWB
GMS-Scanbody(Short)	-	-	-
GMS-Scanbody(Long)	-	-	-
LL-Multibase / Single	LL2-EXMB-H2	LL2-EXRB-H2	LL2-EXWB-H2
LL-Multibase / Bridge	LL2-EXMB-N2	LL2-EXRB-N2	LL2-EXWB-N2
LS-Multibase / Single	LS2-EXMB-H2	LS2-EXRB-H2	LS2-EXWB-H2
LS-Multibase / Bridge	-	-	-
CMFit Abutment(S) / Ø10	CMFit10-EXMB-H2	CMFit10-EXRB-H2	CMFit10-EXWB-H2
CMFit Abutment(S) / Ø14	CMFit14-EXMB-H2	CMFit14-EXRB-H2	CMFit14-EXWB-H2
3D-Analog	3D-EXM	3D-EXR	3D-EXW
Screw(5ea)	AC-EXMB5	AC-EXRB5	AC-EXWB5

Compatible Implant Systems

Nobel Biocare Replace

*Set (Scanbody/Multibase/CMFit Abutment + screw)




SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 unigrip 35Ncm

Description-Library code / Connection Platform Ø / Product	0808- RPM NP Ø3.5	0809- RPR RP Ø4.3	0810- RPW WP Ø5.0	0811- RP60 Ø6.0
Scanbody	SC-RPM	SC-RPR	SC-RPW	SC-RP60
GMS-Scanbody(Short)	GMS-RPMS	GMS-RPRS	GMS-RPWS	GMS-RP60S
GMS-Scanbody(Long)	GMS-RPML	GMS-RPRL	GMS-RPWL	GMS-RP60L
LL-Multibase / Single	LL2-RPM-E2	LL2-RPR-E2	LL2-RPW-E2	LL2-RP60-E2
LL-Multibase / Bridge	LL2-RPM-N2	LL2-RPR-N2	LL2-RPW-N2	LL2-RP60-N2
LS-Multibase / Single	LS2-RPM-E2	LS2-RPR-E2	LS2-RPW-E2	LS2-RP60-E2
CMFit Abutment / Ø10	CMFit10-RPM-E2	CMFit10-RPR-E2	CMFit10-RPW-E2	CMFit10-RP60-E2
CMFit Abutment / Ø14	CMFit14-RPM-E2	CMFit14-RPR-E2	CMFit14-RPW-E2	CMFit14-RP60-E2
3D-Analog	3D-RPM	3D-RPR	3D-RPW	3D-RP60
Screw(5ea)	AC-RPM5	AC-RPR5	AC-RPR5	AC-RPR5

Compatible Implant Systems

Dentsply Xive/Frialit2

*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	 (11.5mm) (7.5mm)			
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.22Hex 24Ncm

Description-Library code / Connection Platform Ø / Product	0901 - XV3 Ø3.0	0902 - XVM Ø3.4	0903 - XVR Ø3.8	0904 - XVW Ø4.5	0905 - XV55 Ø5.5
SC-Scanbody	SC-XV3	SC-XVM	SC-XVR	SC-XVW	SC-XVW
GMS-Scanbody(Short)	-	GMS-XVMS	GMS-XVRS	GMS-XVWS	GMS-XVWS
GMS-Scanbody(Long)	GMS-XV3L	GMS-XVML	GMS-XVRL	GMS-XVWL	GMS-XVWL
LL-Multibase / Single	LL2-XV3-H2	LL2-XVM-H2	LL2-XVR-H2	LL2-XVW-H2	LL2-XV55-H2
LL-Multibase / Bridge	LL2-XV3-N2	LL2-XVM-N2	LL2-XVR-N2	LL2-XVW-N2	LL2-XV55-N2
LS-Multibase / Single	LS2-XV3-H2	LS2-XVM-H2	LS2-XVR-H2	LS2-XVW-H2	LS2-XV55-H2
CMFit Abutment / Ø10	CMFit10-XV3-H2	CMFit10-XVM-H2	CMFit10-XVR-H2	CMFit10-XVW-H2	CMFit10-XV55-H2
CMFit Abutment / Ø14	-	CMFit14-XVM-H2	CMFit14-XVR-H2	CMFt14-XVW-H2	CMFit14-XV55-H2
3D-Analog	3D-XV3	3D-XVM	3D-XVR	3D-XVW	3D-XV55
Screw(5ea)	AC-XV35	AC-XV5	AC-XV5	AC-XV5	AC-XV5

Compatible Implant Systems

Dentsply Ankylos

*Set (Scanbody/Multibase/CMFit Abutment + screw)

OS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
			-


Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
				1.0Hex 15Ncm

Description–Library code		0906 - AKLL
Product \ Connection Platform Ø		universal Ø3.4/4.5/5.5
OS-Scanbody		OS-AKLL
LL-Multibase (Single)	GH : 1.3	LL2-AKLL-T
	GH : 2.0	LL2-AKLL20-T
LL-Multibase (Bridge)	GH : 1.3	LL2-AKLL-N
	GH : 2.0	LL2-AKLL20-N
LS-Multibase / Single		-
CMFit Abutment(S) / Ø10		CMFit10-AKLL-T
CMFit Abutment(B) / Ø10		CMFit10-AKLL-N
CMFit Abutment(S) / Ø14		CMFit14-AKLL-T
3D-Analog		3D-AKLL
Screw		-

Compatible Implant Systems

Biomet 3i Certain

*Set (Scanbody/Multibase/CMFit Abutment + screw)





SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.2Hex 20Ncm

Description-Library code / Connection Platform Ø / Product	1001 - 3ICM Ø3.4	1002 - 3ICR Ø4.1	1003 - 3ICW Ø5.0	1004 - 3IC60 Ø6.0
SC-Scanbody	SC-3ICM	SC-3ICR	SC-3ICR	SC-3ICR
GMS-Scanbody(Short)	GMS-3ICMS	GMS-3ICRS	GMS-3ICRS	GMS-3ICRS
GMS-Scanbody(Long)	GMS-3ICML	GMS-3ICRL	GMS-3ICRL	GMS-3ICRL
LL-Multibase / Single	LL2-3ICM-H2	LL2-3ICR-H2	LL2-3ICW-H2	LL2-3IC60-H2
LL-Multibase / Bridge	LL2-3ICM-N2	LL2-3ICR-N2	LL2-3ICW-N2	LL2-3IC60-N2
LS-Multibase / Single	LS2-3ICM-H2	LS2-3ICR-H2	LS2-3ICW-H2	LS2-3IC60-H2
CMFit Abutment / Ø10	CMFit10-3ICM-H2	CMFit10-3ICR-H2	CMFit10-3ICW-H2	CMFit10-3IC60-H2
CMFit Abutment / Ø14	-	CMFit14-3ICR-H2	CMFit14-3ICW-H2	CMFit14-3IC60-H2
3D-Analog	3D-3ICM	3D-3ICR	3D-3ICW	3D-3IC60
Screw(5ea)	AC-3IC5	AC-3IC5	AC-3IC5	AC-3IC5

Compatible Implant Systems

Biomet 3i Osseotite

*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.2Hex 20Ncm


Description-Library code	1005- EX3M	1006- EXR	1007- EXT	1008- EXTW
Connection Platform Ø / Product	Ø3.4	Ø4.1	Ø5.0	Ø6.0
Scanbody	SC-EX3M	SC-EXR	SC-EXR	SC-EXR
GMS-Scanbody(Short)	-	GMS-EXRS	GMS-EXRS	GMS-EXRS
GMS-Scanbody(Long)	-	GMS-EXRL	GMS-EXRL	GMS-EXRL
LL-Multibase / Single	LL2-EX3M-H2	LL2-EXR-H2	LL2-EXT-H2	LL2-EXTW-H2
LL-Multibase / Bridge	LL2-EX3M-N2	LL2-EXR-N2	LL2-EXT-N2	LL2-EXTW-N2
LS-Multibase / Single	-	LS2-EXR-H2	LS2-EXT-H2	-
LS-Multibase / Bridge	-	-	-	-
CMFit Abutment(S) / Ø10	CMFit10-EX3M-H2	CMFit10-EXR-H2	CMFit10-EXT-H2	CMFit10-EXTW-H2
CMFit Abutment(B) / Ø10	-	CMFit10-EXR-N2	-	-
CMFit Abutment(S) / Ø14	-	CMFit14-EXR-H2	CMFit14-EXT-H2	CMFit14-EXTW-H2
3D-Analog	-	3D-EXR	-	-
Screw(5ea)	AC-EXR5	AC-EXR5	AC-EXR5	AC-EXR5

Compatible Implant Systems

Implant Direct 3.0

*Set (Scanbody/Multibase/CMFit Abutment + screw)

OS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
		-	-


⌀10 CMFit Abutment	⌀14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
	-			1.25Hex 30Ncm

Description-Library code	1101 - TSVM
Connection Platform ⌀ / Product	Implant Direct ⌀3.0
OS-Scanbody	OS-TSVM
LL-Multibase / Single	LL2-TSVM-H2
LL-Multibase / Bridge	-
LS-Multibase / Single	-
CMFit Abutment / ⌀10	CMFit10-TSVM-H2
CMFit Abutment / ⌀14	-
3D-Analog	3D-TSVM
Screw(5ea)	AC-TSVM5

Compatible Implant Systems

Zimmer Tapered Screw-vent

*set (Scanbody/Link/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.25Hex 30Ncm

Description-Library code		1201- TSV3	1202- TSV4	1203- TSV5
Connection Platform Ø / Product		Ø3.5	Ø4.5	Ø5.7
Scanbody		SC-TSV3	SC-TSV4	SC-TSV5
GMS-Scanbody(Short)		GMS-TSV3S	GMS-TSV4S	GMS-TSV5S
GMS-Scanbody(Long)		GMS-TSV3L	GMS-TSV4L	GMS-TSV5L
LL-Multibase (Single)	GH : 1.0	LL2-TSV3-H2	LL2-TSV4-H2	LL2-TSV5-H2
	GH : 2.0	LL2-TSV320-H2	LL2-TSV420-H2	-
LL-Multibase (Bridge)	GH : 1.0	LL2-TSV3-N2	LL2-TSV4-N2	LL2-TSV5-N2
	GH : 2.0	LL2-TSV320-N2	LL2-TSV420-N2	-
LS-Multibase / Single		LS2-TSV3-H2	LS2-TSV4-H2	LS2-TSV5-H2
CMFit Abutment / Ø10		CMFit10-TSV3-H2	CMFit10-TSV4-H2	CMFit10-TSV5-H2
CMFit Abutment / Ø14		CMFit14-TSV3-H2	CMFit14-TSV4-H2	CMFit14-TSV5-H2
3D-Analog		3D-TSV3	3D-TSV4	3D-TSV5
Screw(5ea)		AC-TSV5	AC-TSV5	AC-TSV5

Compatible Implant Systems

Zimmer Spline

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-		-	-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
-		-		1.25Hex 30Ncm

Description-Library code	1204 - SP40	1205- SP50
Connection Platform Ø / Product	 Ø 3.7 / 4.0	 Ø 5.0
SC-Scanbody	SC-SP40	SC-SP40
GMS-Scanbody(Short)	-	-
GMS-Scanbody(Long)	-	-
LL-Multibase / Single	LL2-SP40-H	LL2-SP50-H
LL-Multibase / Bridge	-	-
LS-Multibase / Single	-	-
CMFit Abutment / Ø10	-	-
CMFit Abutment / Ø14	CMFit14-SP40-H	CMFit14-SP50-H
3D-Analog	-	-
Screw(5ea)	AC-TSV5	AC-TSV5

Compatible Implant Systems

Astra Tech Osseospeed TX

*Set (Scanbody/Multibase/CMFit Abutment + screw)



SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				1.27Hex 15Ncm Ø3.0 20Ncm Ø3.5/4.0 25Ncm Ø4.5/5.0

Description–Library code / Connection Platform Ø / Product		1301- AS3 Yellow Ø3.0	1302- ASR Aqua Ø3.5/4.0	1303- ASW Lilac Ø4.5/5.0
Scanbody		SC-AS3	SC-ASR	SC-ASW
GMS-Scanbody(Short)		-	GMS-ASRS	GMS-ASWS
GMS-Scanbody(Long)		GMS-AS3L	GMS-ASRL	GMS-ASWL
LL-Multibase (Single)	GH : 1.3	LL2-AS3-T2	LL2-ASR-H2	LL2-ASW-H2
	GH : 2.0	-	LL2-ASR20-H2	LL2-ASW20-H2
LL-Multibase (Bridge)	GH : 1.3	-	LL2-ASR-N2	LL2-ASW-N2
	GH : 2.0	-	LL2-ASR20-N2	LL2-ASW20-N2
LS-Multibase / Single		-	LS2-ASR-H2	LS2-ASW-H2
CMFit Abutment / Ø10		CMFit10-AS3-T2	CMFit10-ASR-H2	CMFit10-ASW-H2
CMFit Abutment / Ø14		-	CMFit14-ASR-H2	CMFit14-ASW-H2
3D-Analog		3D-AS3	3D-ASR	3D-ASW
Screw(5ea)		AC-AS35	AC-ASR5	AC-ASW5

Compatible Implant Systems

Astra Tech Osseospeed EV

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.27Hex 25Ncm

Description-Library code / Connection Platform Ø / Product		1304 - AEV30 Green Ø3.0	1305 - AEV36 Purple Ø3.6	1306 - AEV42 Yellow Ø4.2	1307 - AEV48 Blue Ø4.8	1308 - AEV54 Brown Ø5.4
SC-Scanbody		SC-AEV30	SC-AEV36	SC-AEV42	SC-AEV48	SC-AEV54
GMS-Scanbody(Short)		GMS-AEV30S	GMS-AEV36S	GMS-AEV42S	GMS-AEV48S	GMS-AEV54S
GMS-Scanbody(Long)		GMS-AEV30L	GMS-AEV36L	GMS-AEV42L	GMS-AEV48L	GMS-AEV54L
LL-Multibase (Single)	GH : 1.3	LL2-AEV30-T2	LL2-AEV36-T2	LL2-AEV42-T2	LL2-AEV48-T2	LL2-AEV54-T2
	GH : 2.0	-	LL2-AEV3620-T2	LL2-AEV4220-T2	LL2-AEV4820-T2	LL2-AEV5420-T2
LL-Multibase (Bridge)	GH : 1.3	LL2-AEV30-N2	LL2-AEV36-N2	LL2-AEV42-N2	LL2-AEV48-N2	LL2-AEV54-N2
	GH : 2.0	-	LL2-AEV3620-N2	LL2-AEV4220-N2	LL2-AEV4820-N2	LL2-AEV5420-N2
LS-Multibase / Single		-	-	-	-	-
CMFit Abutment / Ø10		CMFit10-AEV30-T2	CMFit10-AEV36-T2	CMFit10-AEV42-T2	CMFit10-AEV48-T2	CMFit10-AEV54-T2
CMFit Abutment / Ø14		-	CMFit14-AEV36-T2	CMFit14-AEV42-T2	CMFit14-AEV48-T2	CMFit14-AEV54-T2
3D-Analog		3D-AEV30	3D-AEV36	3D-AEV42	3D-AEV48	3D-AEV54
Screw(5ea)		AC-AEV305	AC-AEV365	AC-AEV425	AC-AEV48545	AC-AEV48545

Compatible Implant Systems

Camlog



*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				1.28Hex 20Ncm

Description–Library code	1401- CAM33	1402- CAM38	1403- CAM43	1404- CAM50	1405- CAM60
Connection Platform Ø / Product	Ø3.3	Ø3.8	Ø4.3	Ø5.0	Ø6.0
Scanbody	SC-CAM33	SC-CAM38	SC-CAM43	SC-CAM5060	SC-CAM5060
LL-Multibase / Single	LL2-CAM33-T2	LL2-CAM38-T2	LL2-CAM43-T2	LL2-CAM50-T2	LL2-CAM60-T2
LL-Multibase / Bridge	LL2-CAM33-N2	LL2-CAM38-N2	LL2-CAM43-N2	LL2-CAM50-N2	LL2-CAM60-N2
LS-Multibase / Single	-	-	-	-	-
CMFit Abutment / Ø10	CMFit10-CAM33-T2	CMFit10-CAM38-T2	CMFit10-CAM43-T2	CMFit10-CAM50-T2	CMFit10-CAM60-T2
CMFit Abutment / Ø14	-	CMFit14-CAM38-T2	CMFit14-CAM43-T2	CMFit14-CAM50-T2	CMFit14-CAM60-T2
3D-Analog	3D-CAM33	3D-CAM38	3D-CAM43	3D-CAM5060	3D-CAM5060
Screw(5ea)	AC-CAM5	AC-CAM5	AC-CAM5	AC-CAM50605	AC-CAM50605

Conelog

*Set (Scanbody/Multibase/CMFit Abutment + screw)


GMS-Scanbody (Intra-Oral)	Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
 (11.5mm)					1.28Hex 20Ncm

Description–Library code	1406- CN33	1407- CN3843	1408- CN50
Connection Platform Ø / Product	Ø3.3	Ø3.8/4.3	Ø5.0/6.0
GMS-Scanbody(Long)	GMS-CN33L	GMS-CN3843L	GMS-CN50L
CMFit Abutment / Ø10	CMFit10-CN33-E	-	-
CMFit Abutment / Ø14	-	CMFit14-CN3843-E	CMFit14-CN50-E
3D-Analog	3D-CN33	3D-CN3843	3D-CN50
Screw(5ea)	AC-CN5	AC-CN5	AC-CN505

Compatible Implant Systems

MIS SEVEN

*Set (Scanbody/Multibase/CMFit Abutment + screw)



SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.25Hex 30Ncm

Description-Library code / Connection Platform Ø / Product	1501 - MS33 Narrow Ø3.3	1502 - MSR Standard Ø 3.75 / 4.2	1503 - MSW Wide Ø 5.0 / 6.0
SC-Scanbody	SC-MS33	SC-TSV3	SC-TSV4
GMS-Scanbody(Short)	-	GMS-TSV3S	GMS-TSV4S
GMS-Scanbody(Long)	-	GMS-TSV3L	GMS-TSV4L
LL-Multibase / Single	LL2-MS33-H	LL2-MSR-H	LL2-MSW-H
LL-Multibase / Bridge	LL2-MS33-N	LL2-MSR-N	LL2-MSW-N
LS-Multibase / Single	-	-	-
CMFit Abutment / Ø10	CMFit10-MS33-H	CMFit10-MSR-H	CMFit10-MSW-H
CMFit Abutment / Ø14	-	CMFit14-MSR-H	CMFit14-MSW-H
3D-Analog	3D-MS33	3D-TSV3	3D-TSV4
Screw(5ea)	AC-MS335	AC-MS5	AC-MS5

Compatible Implant Systems

MIS C1

*Set (Scanbody/Multibase/CMFit Abutment + screw)



SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				1.25Hex 30Ncm

Description-Library code / Product \ Connection Platform Ø	1504- C1M	1505- C1R	1506- C1W
	C1 Ø3.3	C1 Ø3.75/4.2	C1 Ø5.0
Scanbody	SC-C1M	SC-C1R	SC-C1W
GMS-Scanbody(Short)	GMS-C1MS	GMS-C1RS	GMS-C1WS
GMS-Scanbody(Long)	GMS-C1ML	GMS-C1RL	GMS-C1WL
LL-Multibase / Single	LL2-C1M-T	LL2-C1R-T	LL2-C1W-T
LL-Multibase / Bridge	LL2-C1M-N	LL2-C1R-N	LL2-C1W-N
LS-Multibase / Single	-	-	-
CMFit Abutment / Ø10	CMFit10-C1M-T	CMFit10-C1R-T	CMFit10-C1W-T
CMFit Abutment / Ø14	CMFit14-C1M-T	CMFit14-C1R-T	CMFit14-C1W-T
3D-Analog	3D-C1M	3D-C1R	3D-C1W
Screw(5ea)	AC-C1M5	AC-C15	AC-C15

Compatible Implant Systems

SIC ace / max

*set (Scanbody/Link/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				1.2Hex 20Ncm

Description-Library code	1601- SICM	1602- SICR
Connection Platform Ø / Product	Ø 3.3	Ø 4.2
Scanbody	SC-SIC	SC-SIC
GMS-Scanbody(Short)	-	-
GMS-Scanbody(Long)	-	-
LL-Multibase / Single	LL2-SICM-H	LL2-SICR-H
LL-Multibase / Bridge	LL2-SICM-N	LL2-SICR-N
LS-Multibase / Single	-	-
CMFit Abutment / Ø10	CMFit10-SICM-H	CMFit10-SICR-H
CMFit Abutment / Ø14	CMFit14-SICM-H	CMFit14-SICR-H
3D-Analog	3D-SICM	3D-SICR
Screw(5ea)	AC-SIC5	AC-SIC5

Compatible Implant Systems

Thommen SPI

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				Four lobe 15Ncm: Ø3.5 25Ncm: Ø4.0/4.5/5.0/6.0

Description-Library code	1701- SPI35	1702- SPI40	1703- SPI45	1704- SPI50	1705- SPI60
Connection Platform Ø / Product	Ø3.5	Ø4.0	Ø4.5	Ø5.0	Ø6.0
Scanbody	SC-SPI35	SC-SPI40	SC-SPI45	SC-SPI45	SC-SPI45
GMS-Scanbody(Short)	-	-	-	-	-
GMS-Scanbody(Long)	-	-	-	-	-
LL-Multibase / Single	LL2-SPI35-H	LL2-SPI40-H	LL2-SPI45-H	LL2-SPI50-H	LL2-SPI60-H
LL-Multibase / Bridge	LL2-SPI35-N	LL2-SPI40-N	LL2-SPI45-N	LL2-SPI50-N	LL2-SPI60-N
LS-Multibase / Single	-	-	-	-	-
LS-Multibase / Bridge	-	-	-	-	-
CMFit Abutment / Ø10	CMFit10-SPI35-H	CMFit10-SPI40-H	CMFit10-SPI45-H	CMFit10-SPI50-H	CMFit10-SPI60-H
CMFit Abutment / Ø14	-	CMFit14-SPI40-H	CMFit14-SPI45-H	CMFt14-SPI50-H	CMFit14-SPI60-H
3D-Analog	3D-SPI35	3D-SPI40	3D-SPI45	3D-SPI50	-
Screw(5ea)	AC-SPI355	AC-SPI5	AC-SPI5	AC-SPI5	AC-SPI5

Compatible Implant Systems

BEGO

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.25Hex 30Ncm

Description-Library code / Connection Platform Ø / Product	1801 - BEG037 Ø3.7	1802 - BEG041 Ø4.1	1803 - BEG045 Ø4.5	1804 - BEG055 Ø5.5
SC-Scanbody	SC-BEG0	SC-BEG0	SC-BEG0	SC-BEG0
GMS-Scanbody(Short)	-	-	-	-
GMS-Scanbody(Long)	-	-	-	-
LL-Multibase / Single	LL2-BEG037-H	LL2-BEG041-H	LL2-BEG045-H	LL2-BEG055-H
LL-Multibase / Bridge	LL2-BEG037-N	LL2-BEG041-N	-	-
LS-Multibase / Single	-	-	-	-
CMFit Abutment / Ø10	CMFit10-BEG037-H	CMFit10-BEG041-H	CMFit10-BEG045-H	CMFit10-BEG055-H
CMFit Abutment / Ø14	-	-	CMFit14-BEG045-H	CMFit14-BEG055-H
3D-Analog	3D-BEG037	3D-BEG041	3D-BEG045	3D-BEG055
Screw(5ea)	AC-BEG05	AC-BEG05	AC-BEG05	AC-BEG05

Compatible Implant Systems

MYTIS Arrow Implant

*set (Scanbody/Link/CMFit Abutment + screw)



OS-Scanbody(Intra Oral)	GMS-Scanbody(Intra-Oral)	∅10 CMFit Abutment	Screw	Driver (Ncm)
	 (11.5mm)			1.3Hex 30Ncm

Description-Library code Product \ Connection Platform ∅	1901 - AR3740 ∅3.7/4.0	1902 - AR4760 ∅4.7/6.0
OS-Scanbody	-	OS-AR4760
GMS-Scanbody(Short)	-	-
GMS-Scanbody(Long)	GMS-AR3740L	-
CMFit Abutment / ∅10	CMFit10-AR3740-H	CMFit10-AR4760-H
Screw(5ea)	AC-AR5	AC-AR5

Compatible Implant Systems

Kyocera POI

*set (Scanbody/Link/CMFit Abutment + screw)


SC-Scanbody(Model)	Single LL-Multibase	Bridge LL-Multibase	∅10 CMFit Abutment	Screw	Driver (Ncm)
		-			1.1Hex 20Ncm

Description-Library code	2001 - POI37	2002 - POI42
Connection Platform ∅ / Product	∅3.7	∅4.2
SC-Scanbody	SC-POI37	SC-POI42
LL-Multibase / Single	LL2-POI37-H	LL2-POI42-H
LL-Multibase / Bridge	-	-
CMFit Abutment / ∅10	CMFit10-POI37-H	CMFit10-POI42-H
Screw(5ea)	AC-POI375	AC-POI425

Kyocera FINESIA

*set (Scanbody/Link/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
-	 (11.5mm)		-	-


∅10 CMFit Abutment	∅14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
	-			Torx 20Ncm

Description-Library code	3601- FBLN	3602- FBLR
Connection Platform ∅ / Product	∅ 3.2 / 3.4	∅ 3.7 / 4.2
GMS-Scanbody(Short)	-	-
GMS-Scanbody(Long)	GMS-FBLNL	GMS-FBLRL
LL-Multibase / Single	-	LL2-FBLR-H
LL-Multibase / Bridge	-	-
LS-Multibase / Single	-	-
CMFit Abutment / ∅10	CMFit10-FBLN-H	CMFit10-FBLR-H
CMFit Abutment / ∅14	-	-
3D-Analog	3D-FBLN	3D-FBLR
Screw(5ea)	AC-FBLN5	AC-FBLR5

Compatible Implant Systems

Biohorizons Laser Lok 3.0


*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			-
⌀10 CMFit Abutment	**⌀14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
	-			1.25Hex 30Ncm

Description–Library code	2101 - BH30
Product \ Connection Platform ⌀	⌀ 3.0
OS-Scanbody	OS-BH30
LL-Multibase / Single	LL2-BH30-H2
LL-Multibase / Bridge	LL2-BH30-N2
LS-Multibase / Single	-
CMFit Abutment / ⌀10	CMFit10-BH30-H2
CMFit Abutment / ⌀14	-
3D-Analog	3D-BH30
Screw(5ea)	AC-BH305

Anthogyr AXIOM

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				-
∅10 CMFit Abutment	∅14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
	-			1.18Hex / 25Ncm

Description-Library code	2201 - ANG
Product \ Connection Platform ∅	universal ∅ 3.4/4.0/4.6/5.2
SC-Scanbody	SC-ANG
GMS-Scanbody(Short)	GMS-ANGS
GMS-Scanbody(Long)	GMS-ANGL
LL-Multibase / Single	LL2-ANG-E
LL-Multibase / Bridge	LL2-ANG-N
LS-Multibase / Single	-
CMFit Abutment / ∅10	CMFit10-ANG-E
CMFit Abutment / ∅14	-
3D-Analog	3D-ANG
Screw(5ea)	AC-ANG5

Compatible Implant Systems

Warantec Oneplant

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	∅10 CMFit Abutment	Single LS-Multibase	Screw	Driver (Ncm)
		-		1.2Hex 30Ncm

Description-Library code	2301 - WOP
Connection Platform ∅ / Product	Standard ∅4.3/4.8/5.3
Scanbody	SC-WOP
LS-Multibase / Single	-
CMFit Abutment ∅10	CMFit10-WOP-0
Screw(5ea)	AC-WOP5

Warantec IU

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
-	 (11.5mm)		-	-

∅10 CMFit Abutment	∅14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
	-			1.2Hex 15Ncm ∅3.5/4.0/4.5/5.5

Description-Library code	2302 - SUMW
Connection Platform ∅ / Product	Mini ∅3.3/3.6
SC-Scanbody	-
GMS-Scanbody(Short)	-
GMS-Scanbody(Long)	GMS-SUMWL
LL-Multibase / Single	LL2-SUMW-H2
CMFit Abutment / ∅10	CMFit10-SUMW-H2
CMFit Abutment / ∅14	-
3D-Analog	3D-SUMW
Screw(5ea)	AC-SUMW5

Tekka In-Kone

*Set (Scanbody/Multibase/CMFit Abutment + screw)




SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-	-	-	-
∅10 CMFit Abutment	∅14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
	-			1.2Hex 15Ncm ∅3.5/4.0/4.5/5.5

Description-Library code	2401 - TEK
Connection Platform ∅ / Product	Standard ⬡ ∅3.5/4.0/4.5/5.5
SC-Scanbody	SC-TEK
GMS-Scanbody(Short)	-
GMS-Scanbody(Long)	-
LS-Multibase / Single	-
CMFit Abutment / ∅10	CMFit10-TEK-H
CMFit Abutment / ∅14	-
3D-Analog	3D-TEK
Screw(5ea)	AC-TEK5

Compatible Implant Systems

Keystone PrimaConnex / Max-TL

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
				
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				 1.25 Square 30Ncm

Description-Library code / Connection Platform Ø / Product	2501 - KEP35 Ø 3.5	2502 - KEP41 Ø 4.1	2503 - KEP50 Ø 5.0 / 6.0	2504 - KEX50 Ø7.0	2505 - KEX60 Ø8.0
SC-Scanbody	SC-KEP35	SC-KEP41	SC-KEP50	SC-KEP50	SC-KEP50
GMS-Scanbody(Short)	GMS-KEP35S	GMS-KEP41S	GMS-KEP50S	GMS-KEP50S	GMS-KEP50S
GMS-Scanbody(Long)	GMS-KEP35L	GMS-KEP41L	GMS-KEP50L	GMS-KEP50L	GMS-KEP50L
LL-Multibase / Single	LL2-KEP35-T2	LL2-KEP41-T2	LL2-KEP50-T2	LL2-KEX50-T2	LL2-KEX65-T2
LL-Multibase / Bridge	LL2-KEP35-N2	LL2-KEP41-N2	LL2-KEP50-N2	LL2-KEX50-N2	LL2-KEX65-N2
LS-Multibase / Single	LS2-KEP35-T2	LS2-KEP41-T2	LS2-KEP50-T2	LS2-KEX50-T2	LS2-KEX65-T2
CMFit Abutment / Ø10	CMFit10-KEP35-T2	CMFit10-KEP41-T2	CMFit10-KEP50-T2	-	-
CMFit Abutment / Ø14	CMFit14-KEP35-T2	CMFit14-KEP41-T2	CMFit14-KEP50-T2	CMFit14-KEX50-T2	CMFit14-KEX65-T2
3D-Analog	3D-KEP35	3D-KEP41	3D-KEP50	3D-KEX50	3D-KEX65
Screw(5ea)	AC-KEPT5	AC-KEPT5	AC-KEPT5	AC-KEPT5	AC-KEPT5

Compatible Implant Systems

Neodent CM


*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-	-	-	-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
	-			0.9Hex 15Ncm

Description-Library code	2601 - NCM
Product \ Connection Platform Ø	Standard ⬡ Ø 3.5/4.3/5.0
SC-Scanbody	SC-NCM
LS-Multibase / Single	-
CMFit Abutment / Ø10	CMFit10-NCM-H
CMFit Abutment / Ø14	-
3D-Analog	3D-NCM
Screw	-

Neodent GM

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	 (11.5mm)			-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				unigrip (not compatible with Nobel) 20Ncm

Description-Library code		2602 - NCG
Product \ Connection Platform Ø		Standard ⬡ Ø 3.5/3.75/4.0/4.3/5.0
SC-Scanbody		SC-NCG
GMS-Scanbody(Long)		GMS-NCGL
CMFit Abutment / Ø10		CMFit10-NCG-H2
CMFit Abutment / Ø14		CMFit14-NCG-H2
LL-Multibase (Single)	GH : 1.3	LL2-NCG-H2
	GH : 2.0	LL2-NCG20-H2
LL-Multibase (Bridge)	GH : 1.3	LL2-NCG-N2
	GH : 2.0	LL2-NCG20-N2
3D-Analog		3D-NCG
Screw(5ea)		AC-NCG5

Compatible Implant Systems

Bicon Implant

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	Bridge LL-Multibase	Bridge LS-Multibase	∅10 CMFit Abutment	∅14 CMFit Abutment
		-		-

Description-Library code	2701- BC20	2702- BC25	2703- BC30
Connection Platform ∅ / Product	◯ ∅2.0	◯ ∅2.5	◯ ∅3.0
SC-Scanbody	SC-BC20	SC-BC25	SC-BC30
LL-Multibase / Bridge	LL2-BC20-N	LL2-BC25-N	LL2-BC30-N
LS-Multibase / Bridge	-	-	-
CMFit Abutment / ∅10	CMFit10-BC20-N	CMFit10-BC25-N	CMFit10-BC30-N
CMFit Abutment / ∅14	-	-	-

Compatible Implant Systems

Medentika IPS


*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	Ø10 CMFit Abutment	Ø14 CMFit Abutment	Screw	Driver (Ncm)
		-		1.3 Hex 25Ncm

Description–Library code	2801- MTR
Connection Platform Ø / Product	Ø3.5/4.3/5.0
SC-Scanbody	SC-MTR
CMFit Abutment / Ø10	CMFit10-MTR-R
Screw(5ea)	AC-MTR5

GC Aadva Implant

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	Ø10 CMFit Abutment	Ø14 CMFit Abutment	Screw	Driver (Ncm)
		-		Torx 20Ncm

Description–Library code	2901- GAD
Connection Platform Ø / Product	Regular / Wide Ø4.0 / 5.0
SC-Scanbody	SC-GAD
CMFit Abutment / Ø10	CMFit10-GAD-H
Screw(5ea)	AC-GAD5

Compatible Implant Systems

BIOTECH KONTACT

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			-
∅10 CMFit Abutment	∅14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
	-			1.2 Hex / 20Ncm

Description–Library code	3001- BK30	3002- BK40
Connection Platform ∅ / Product	 ∅ 3.0	 ∅ 3.6 / 4.2 / 4.8 / 5.4
SC-Scanbody	SC-BK30	SC-BK40
LL-Multibase / Single	LL2-BK30-T	LL2-BK40-T
LL-Multibase / Bridge	LL2-BK30-N	LL2-BK40-N
LS-Multibase / Single	-	-
CMFit Abutment / ∅10	CMFit10-BK30-T	CMFit10-BK40-T
3D-Analog	3D-BK30	3D-BK40
Screw(5ea)	AC-BK305	AC-BK405

Compatible Implant Systems

Medentis medical ICX-System

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
	-			-
Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
				1.42Hex 30Ncm

Description-Library code	3101 - ICX
Connection Platform Ø / Product	universal Ø3.75/4.1/4.8
SC-Scanbody	SC-ICX
LL-Multibase / Single	LL2-ICX-H
LL-Multibase / Bridge	LL2-ICX-N
LS-Multibase / Single	-
CMFit Abutment / Ø10	CMFit10-ICX-H
CMFit Abutment / Ø14	CMFit14-ICX-H
3D-Analog	3D-ICX
Screw(5ea)	AC-ICX5

Compatible Implant Systems

B&B Dental



*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
-			-	-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
	-			1.27 Hex 25Ncm

Description-Library code	3201- BNB
Product \ Connection Platform Ø	Ø4.0/4.5/5.0
GMS-Scanbody(long)	GMS-BNBL
LL-Multibase / Single	LL2-BNB-H
LL-Multibase / Bridge	-
CMFit Abutment / Ø10	CMFit10-BNB-H
3D-Analog	3D-BNB
Screw(5ea)	AC-BNB5

Bredent Medical Sky

*Set (Scanbody/Multibase/CMFit Abutment + screw)


SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
-			-	-
Ø10 CMFit Abutment	**Ø14 CMFit Abutment**	**3D-Analog**	**Screw**	**Driver (Ncm)**
				Torx 25Ncm

Description-Library code	3301- SKR
Product \ Connection Platform Ø	Ø3.5(NP) /4.0-6.0
GMS-Scanbody(long)	GMS-SKRL
LL-Multibase / Single	LL2-SKR-T
LL-Multibase / Bridge	-
CMFit Abutment / Ø10	CMFit10-SKR-T
CMFit Abutment / Ø14	CMFit14-SKR-T
3D-Analog	3D-SKR
Screw(5ea)	AC-SKR5

Compatible Implant Systems

NEOSS ProActive


*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
-	 (11.5mm)		-	-
Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
-				Unigrip (not compatible with Nobel) 32Ncm

Description-Library code	3401- NEP
Connection Platform Ø / Product	Ø3.5/4.0/4.5/5.0/5.5
GMS-Scanbody(long)	GMS-NEPL
LL-Multibase / Single	LL2-NEP-T
LL-Multibase / Bridge	-
CMFit Abutment / Ø10	-
CMFit Abutment / Ø14	CMFit14-NEP-T
3D-Analog	3D-NEP
Screw(5ea)	AC-NEP5

Champions (R)evolution

*Set (Scanbody/Multibase/CMFit Abutment + screw)

SC-Scanbody(Model)	GMS-Scanbody(Intra-Oral)	Single LL-Multibase	Bridge LL-Multibase	Single LS-Multibase
-	 (11.5mm)	-	-	-
Ø10 CMFit Abutment	Ø14 CMFit Abutment	3D-Analog	Screw	Driver (Ncm)
-				1.2 Hex 30Ncm

Description-Library code	3501- CHR
Connection Platform Ø / Product	Ø 3.5/4.5/5.5
GMS-Scanbody(long)	GMS-CHRL
LL-Multibase / Single	-
LL-Multibase / Bridge	-
CMFit Abutment / Ø10	-
CMFit Abutment / Ø14	CMFit14-CHR-H
3D-Analog	3D-CHR
Screw(5ea)	AC-CHR5

Compatible Implant Systems

MultiUnit(Multibase)

Dentium Screw Abutment

*set (Scanbody/Multibase + screw)

SC-Scanbody	Bridge LB-Multibase	3D-Analog	Screw	Driver (Ncm)
		-		1.27Hex 10Ncm

Description-Library code	0203- MUDE45	0204- MUDE55
Connection Platform Ø / Product	Ø4.5	Ø5.5
SC-Scanbody	SC-MUDE	SC-MUDE
LB-Multibase / Bridge	LB2-MUDE45	LB2-MUDE55
3D Analog	-	-
Screw(5ea)	AC-MUDE5	AC-MUDE5

Straumann Tissue Level SynOcta coping

*set (Scanbody/Multibase + screw)

SC-Scanbody	Bridge LB-Multibase	3D-Analog	Screw	Driver (Ncm)
		-		Torx 35Ncm

Description-Library code	0706- MUIT
Connection Platform Ø / Product	Ø4.8
SC-Scanbody	SC-MUIT
LB-Multibase / Bridge	LB2-MUIT
3D Analog	-
Screw(5ea)	AC-MUIT5

Straumann Bonelevel SRA

*set (Scanbody/Multibase + screw)

SC-Scanbody	Bridge LB-Multibase	3D-Analog	Screw	Driver (Ncm)
				Torx 15Ncm


Description-Library code	0707- MUSR35	0708- MUSR46
Connection Platform Ø / Product	Ø3.5	Ø4.6
SC-Scanbody	SC-MUSR35	SC-MUSR46
LB-Multibase / Bridge	LB2-MUSR35	LB2-MUSR46
3D Analog	3D-MUSR35	3D-MUSR46
Screw(5ea)	AC-MUSR5	AC-MUSR5

Compatible Implant Systems

MultiUnit (Multibase)

Nobel MultiUnit 4.8

*set (Scanbody/Multibase + screw)

SC-Scanbody	Bridge LB-Multibase	3D-Analog	Screw	Driver (Ncm)
				 unigrip 15Ncm

Description-Library code / Connection Platform ∅ / Product	0812- MUTB
	∅4.8
SC-Scanbody	SC-MUTB
LB-Multibase / Bridge(4.0mm)	LB2-MUTB2
LB-Multibase / Bridge(5.5mm)	LB2-MUTBL2
3D Analog	3D-MUTB
Screw(5ea)	AC-MUTB5

Ankylos Multi-Unit

*set (Scanbody/Multibase + screw)

SC-Scanbody	Bridge LB-Link	3D-Analog	Screw	Driver (Ncm)
		-		 1.0Hex 10Ncm

Description-Library code / Connection Platform ∅ / Product	0907- AKLM	0908- AKLR
	Mini	Regular
SC-Scanbody	SCB-16	SCB-16
LB-Multibase / Bridge	LB2-AKLM	LB2-AKLR
3D Analog	-	-
Screw(5ea)	AC-AKL5	AC-AKL5

Zimmer Tapered Screw-vent Multi-Unit(TSV)

*set (Scanbody/Multibase + screw)

SC-Scanbody	Bridge LB-Multibase	3D-Analog	Screw	Driver (Ncm)
				 1.27Hex 20Ncm


Description-Library code / Connection Platform ∅ / Product	1206- MUTSV
	Universel
SC-Scanbody	SC-MUTSV
LB-Multibase / Bridge	LB2-MUTSV
3D Analog	3D-MUTSV
Screw(5ea)	AC-MUTSV5


GTS Transfer Scanbody

GTS Transfer Scanbody

Digital implant technology

Convenient & prompt digital implant impression
Ideal subgingiva designing referenced from digital library







Differentiate the Gingival height by appreance



GH : 2.0mm
Height : 5.0mm

GH : 4.0mm
Height : 7.0mm

GH : 6.0mm
Height : 9.0mm


- Biocompatible Titanium (Ti-6Al-4V ELI) from CARPENTER Co. guarantees high-durability.
- Autoclavable.
- Providing various sizes.
- Osstem TS And Dentium Super Line Connections are available.
- Providing High precise Geo library for CAD s/w(3Shape, Exocad, Dental wings)
- Special tool allows finding right position and preventing detachment of screw.
- Zirconia prosthesis designing with multi-base

Guide Tool



Guide Tool protects the scan body from any damage and helps to find dental implant connection easily.

Healing Abutment & Bite Index



GTS Scanbody is multifunctional that can be also used as a healing abutment and impression coping.


The groove on the scan body allows users to define different gingiva types and provide a bite index when taking an impression.


GTS Transfer scanbody

Direct Impression –〉 Digital process




GTS scanbody in patient's mouth







impression taking and stone model casting



Designing process with scan data from model scanner







Designing process with scan data from model scanner




Final prosthesis setting to the patient's mouth

GTS Transfer Scanbody List



Guide Tool



DER – Series (Dentium Super-line / Megagen AnyOne / Dentis S-clean / Neo IS)

GH / Height \ Diameter	4.0mm	4.5mm	5.5mm	6.5mm
 2.0mm / 5.0mm	GTS-DER4020	GTS-DER4520	GTS-DER5520	GTS-DER6520
 4.0mm / 7.0mm	GTS-DER4040	GTS-DER4540	GTS-DER5540	GTS-DER6540
 6.0mm / 9.0mm	GTS-DER4060	GTS-DER4560	GTS-DER5560	GTS-DER6560
Guide Tool	GTST-D40-127H	GTST-D45-127H	GTST-D55-127H	GTST-D65-127H

* Laser mark [DER55: Diameter 5.5mm]
Easy verifying of gingival heights by differentiated appearance.

SUM – Series (Osstem Implant TS Mini)

GH / Height \ Diameter	4.0mm	4.5mm
 2.0mm / 5.0mm	GTS-SUM4020	GTS-SUM4520
 4.0mm / 7.0mm	GTS-SUM4040	GTS-SUM4540
 6.0mm / 9.0mm	GTS-SUM4060	GTS-SUM4560
Guide Tool	GTST-S40-120H	GTST-S45-120H

* Laser mark [SUM45: Diameter 4.5mm]
Easy verifying of gingival heights by differentiated appearance.

SURO – Series (Osstem Implant TS Standard / Dio UF Regular)

GH / Height \ Diameter	4.5mm	5.0mm	6.0mm	7.0mm
 2.0mm / 5.0mm	GTS-SURO4520	GTS-SURO5020	GTS-SURO6020	GTS-SURO7020
 4.0mm / 7.0mm	GTS-SURO4540	GTS-SURO5040	GTS-SURO6040	GTS-SURO7040
 6.0mm / 9.0mm	GTS-SURO4560	GTS-SURO5060	GTS-SURO6060	GTS-SURO7060
Guide Tool	GTST-S45-120H	GTST-S50-120H	GTST-S60-120H	GTST-S70-120H

* Laser mark [SURO50: Diameter 5.0mm]
Easy verifying of gingival heights by differentiated appearance.

Sirona Ti-base

Sirona Multibase



Scan Cap for Sirona Multibase

Scan Cap

Scan Cap (short)	Scan Cap (long)
	
SCSN-CAP	SCSNL-CAP

Description

Osstem Implant TS


*Set (Sirona Multibase + screw)


Single

Connection \ Platform Ø	TS Mini Ø3.0/3.5	TS Standard Ø4.0/4.5/5.0	Driver (Ncm) 1.2Hex	
Single [GH:1.2mm]	SRN2-SUM-H2	SRN2-SUR0-H2	20Ncm	Ø3.0/3.5
Single [GH:2.6mm]	-	SRN2-SUR026-H2	30Ncm	Ø4.0/4.5/5.0

Osstem Implant US / Biomet 3i Osseotite 4.1

*Set (Sirona Multibase + screw)


Single

Connection \ Platform Ø	US Regular Ø4.1	Driver (Ncm) 1.2Hex
Single	SRN2-EXR-H2	30Ncm

Sirona Multibase

Description

Dentium Implantium / SuperLine


*Set (Sirona Multibase + screw)


Single

Platform Ø / Connection	universal Ø3.7/4.0/4.5	Driver (Ncm) 1.27Hex
Single [GH:1.2mm]	SRN2-DER-H2	25~30Ncm
Single [GH:2.6mm]	SRN2-DER26-H2	

Megagen AnyRidge

*Set (Sirona Multibase + screw)


Single

Platform Ø / Connection	Universal Ø3.5/4.0/4.5	Driver (Ncm) 1.2Hex
Single	SRN2-MARR-H2	35Ncm

Megagen AnyOne


*Set (Sirona Multibase + screw)


Single

Platform Ø / Connection	Universal Ø 3.5/4.0/4.5/5.0	Driver (Ncm) 1.2Hex
Single [GH:1.2mm]	SRN2-DERA-H2	25Ncm
Single [GH:2.6mm]	SRN2-DERA26-H2	

Neo Biotech IS

*Set (Sirona Multibase + screw)


Single

Platform Ø / Connection	Ø3.5/4.0/4.5	Driver (Ncm) 1.2Hex
Single [GH:1.2mm]	SRN2-DERN-H2	30Ncm
Single [GH:2.6mm]	SRN2-DERN26-H2	

Straumann Bone Level

*Set (Sirona Multibase + screw)


Single

Platform Ø / Connection	NC Ø3.3	RC Ø4.1/4.8	Driver (Ncm) Torx
Single	SRN2-BLM-R2	SRN2-BLR-R2	35Ncm

Sirona Ti-base

Sirona Multibase

Description

Straumann Tissue Level

*Set (Sirona Multibase + screw)




Single

Platform Ø / Connection	RN Ø4.8	WN Ø6.5	Driver (Ncm) Torx
Single	SRN2-ITR-02	SRN2-ITW-02	35Ncm

Nobel Biocare Active

*Set (Sirona Multibase + screw)




Single

Platform Ø / Connection	NP Ø3.5	RP Ø4.3/5.0	Driver (Ncm) unigrip
Single	SRN2-ACN-H2	SRN2-ACR-H2	35Ncm

Nobel Biocare Branemark

*Set (Sirona Multibase + screw)



Single

Platform Ø / Connection	RP Ø4.1	Driver (Ncm) unigrip
Single	SRN2-EXRB-H2	35Ncm

Nobel Biocare Replace

*Set (Sirona Multibase + screw)



Single

Platform Ø / Connection	NP Ø3.5	RP Ø4.3	WP Ø5.0	Driver (Ncm) unigrip
Single	SRN2-RPM-E2	SRN2-RPR-E2	SRN2-RPW-E2	35Ncm

Dentsply Xive / Frialit2

*Set (Sirona Multibase + screw)



Single


Platform Ø / Connection	Ø3.4	Ø3.8	Ø4.5	Driver (Ncm) 1.22Hex
Single	SRN2-XVM-H2	SRN2-XVR-H2	SRN2-XVW-H2	24Ncm

Sirona Multibase

Description

Dentsply Ankylos

*Set (Sirona Multibase + screw)




Single Bridge

Connection \ Platform Ø	universal Ø3.4/4.5/5.5	Driver (Ncm) 1.0Hex
Single [GH:1.0mm]	SRN2-AKLL1-T	15Ncm
Single [GH:2.0mm]	SRN2-AKLL2-T	
Bridge [GH:1.0mm]	SRN2-AKLL1-N	
Bridge [GH:2.0mm]	SRN2-AKLL2-N	

Zimmer Tapered Screw-vent

*Set (Sirona Multibase + screw)




Single

Connection \ Platform Ø	Ø3.5	Ø4.5	Ø5.7	Driver (Ncm) 1.25Hex
Single	SRN2-TSV3-H2	SRN2-TSV4-H2	SRN2-TSV5-H2	30Ncm

Astra Tech Osseospeed

*Set (Sirona Multibase + screw)



Single

Connection \ Platform Ø	Aqua Ø3.5/4.0	Lilac Ø4.5/5.0	Driver (Ncm) 1.27Hex	
Single	SRN2-ASR-H2	SRN2-ASW-H2	20Ncm	Ø3.5/4.0
			25Ncm	Ø4.5/5.0

CCM Casting Abutment

CCM Casting Abutment



Reliable product with accumulated clinical data since 2009
Excellent bio-compatibility
Optimized design for emergence profile.
All type of implant restorations are enable.

Description

Osstem Implant TS


*Set (CCM Abt + screw)



Platform Ø / Connection	TS Mini Ø3.0/3.5	TS Standard Ø4.0/4.5/5.0		Driver (Ncm) 1.2Hex	
Single	SUM-H2	GH : 1mm	SURO-H2	20Ncm	Ø3.0/3.5
		GH : 2.2mm	SURO22-H2		
		GH : 3mm	SURO30-H2		
Bridge	SUM-N2	GH : 1mm	SURO-N2	30Ncm	Ø4.0/4.5/5.0
		GH : 2.2mm	SURO22-N2		
		GH : 3mm	SURO30-N2		

Osstem Implant US


*Set (CCM Abt + screw)



Platform Ø / Connection	US Mini Ø3.5	US Regular Ø4.1	US Wide Ø5.1	Driver (Ncm) 1.2Hex
Single	EXM-H2	EXR-H2	EXW-H2	30Ncm
Bridge	EXM-N2	EXR-N2	EXW-N2	

Osstem Implant SS

*Set (CCM Abt + screw)




Platform Ø / Connection	SS Regular Ø4.8	SS Wide Ø6.0	Driver (Ncm) 1.2Hex
Single	ISR-02	ISW-02	30Ncm
Bridge	ISR-N2	ISW-N2	

CCM Casting Abutment

Description

Dentium SuperLine / Implantium


*Set (CCM Abt + screw)



Connection \ Platform Ø		Standard ⬡ Ø3.7/4.0/4.5	Driver (Ncm) ⬢ 1.27Hex
Single	GH : 1mm	DER-H2	25~30Ncm
	GH : 2mm	DER20-H2	
	GH : 3mm	DER30-H2	
Bridge	GH : 1mm	DER-N2	
	GH : 2mm	DER20-N2	
	GH : 3mm	DER30-N2	

Megagen Anyridge


*Set (CCM Abt + screw)



Connection \ Platform Ø	Standard ⬡ Ø3.5/4.0/4.5	Driver (Ncm) ⬢ 1.2Hex
Single	MARR-H2	35Ncm
Bridge	MARR-N2	

Megagen Ex-feel [Internal]

*Set (CCM Abt + screw)



Connection \ Platform Ø	⬡ Ø4.8	Driver (Ncm) ⬢ 1.2Hex
Single	ITRK-02	35Ncm
Bridge	ITRK-N2	




- **Qualified Raw Material**
  Cobalt-chrome (CoCr) alloys
- **Single and bridge case**
  Available single and bridge types of abutments
- **Two screws**
  TiN coating screw & Titanium screw
- **Compatibility**
  Various compatible Implant systems

CCM Casting Abutment

Description

DIO UF / UFII


*Set (CCM Abt + screw)



Platform Ø / Connection	Ø3.8/4.0/4.5/5.0	Driver (Ncm) 1.2Hex
Single	SURD-H2	30Ncm
Bridge	SURD-N2	

Neo Biotech IS


*Set (CCM Abt + screw)



Platform Ø / Connection	Ø3.5/4.0/4.5	Driver (Ncm) 1.2Hex
Single	DERN-H2	30Ncm
Bridge	DERN-N2	

Straumann Bone Level


*Set (CCM Abt + screw)



Platform Ø / Connection	NC Ø3.3	RC Ø4.1/4.8	Driver (Ncm) Torx
Single	BLM-R2	BLR-R2	35Ncm
Bridge	BLM-N2	BLR-N2	

Straumann Tissue Level


*Set (CCM Abt + screw)



Platform Ø / Connection	RN Ø4.8	WN Ø6.5	Driver (Ncm) Torx
Single	ITR-02	ITW-02	35Ncm
Bridge	ITR-N2	ITW-N2	

Nobel Biocare Active


*Set (CCM Abt + screw)



Platform Ø / Connection	NP Ø3.5	RP Ø4.3/5.0	Driver (Ncm) unigrip
Single	ACN-H2	ACR-H2	35Ncm
Bridge	ACN-N2	ACR-N2	

Nobel Biocare Branemark

*Set (CCM Abt + screw)




Platform Ø / Connection	NP Ø3.5	RP Ø4.1	WP Ø5.1	Driver (Ncm) unigrip
Single	EXMB-H2	EXRB-H2	EXWB-H2	35Ncm
Bridge	EXMB-N2	EXRB-N2	EXWB-N2	

CCM Casting Abutment

Description

Nobel Biocare Replace


*Set (CCM Abt + screw)



Platform Ø / Connection	NP Ø3.5	RP Ø4.3	WP Ø5.0	Driver (Ncm) unigrip
Single	RPM-E2	RPR-E2	RPW-E2	35Ncm
Bridge	RPM-N2	RPR-N2	RPW-N2	

Nobel Biocare Multi Unit

*Set (CCM Abt + screw)



Platform Ø / Connection	Ø4.8	Driver (Ncm) unigrip
Bridge	MUTB-N2	15Ncm

Dentsply Xive / Frialit2

*Set (CCM Abt + screw)



Platform Ø / Connection	Ø3.4	Ø3.8	Ø4.5	Driver (Ncm) 1.22Hex
Single	XVM-H2	XVR-H2	XVW-H2	24Ncm
Bridge	XVM-N2	XVR-N2	XVW-N2	

Dentsply Ankylos


*Set (CCM Abt + screw)



Platform Ø / Connection	A/B/C/D Ø3.4/4.5/5.5	Driver (Ncm) 1.0Hex
Single	-	25Ncm
Bridge	DNF3-N	

Biomet 3i Certain


*Set (CCM Abt + screw)



Platform Ø / Connection	Ø3.4	Ø4.1	Driver (Ncm) 1.2Hex
Single	3ICM-H2	3ICR-H2	20Ncm
Bridge	3ICM-N2	3ICR-N2	

Biomet 3i Osseotite


*Set (CCM Abt + screw)



Platform Ø / Connection	Ø4.1	Ø5.0	Driver (Ncm) 1.2Hex
Single	EXR-H2	EXT-H2	20Ncm
Bridge	EXR-N2	EXT-N2	

Zimmer Tapered Screw-vent

*Set (CCM Abt + screw)



Platform Ø / Connection	Ø3.5	Ø4.5	Ø5.7	Driver (Ncm) 1.25Hex
Single	TSV3-H2	TSV4-H2	TSV5-H2	30Ncm
Bridge	TSV3-N2	TSV4-N2	TSV5-N2	

CCM Casting Abutment

Description

Zimmer Spline


*Set (CCM Abt + screw)



Connection \ Platform Ø	Ø3.7 / 4.0	Driver (Ncm) 1.25Hex
Single	SP40-H	30Ncm

Astra Tech Osseospeed

*Set (CCM Abt + screw)



Connection \ Platform Ø	X-Small Ø3.0	Aqua Ø3.5/4.0	Lilac Ø4.5/5.0	Driver (Ncm) 1.27Hex	
Single	AS3-T2	ASR-H2	ASW-H2	15Ncm	Ø3.0
				20Ncm	Ø3.5/4.0
Bridge	-	ASR-N2	ASW-N2	25Ncm	Ø4.5/5.0

MIS C1


*Set (CCM Abt + screw)



Connection \ Platform Ø	C1 Ø3.3	C1 Ø3.75/4.2	C1 Ø5.0	Driver (Ncm) 1.25Hex
Single	C1M-T	C1R-T	C1W-T	30Ncm
Bridge	C1M-N	C1R-N	C1W-N	

SIC ace / max


*Set (CCM Abt + screw)



Connection \ Platform Ø	Ø3.3	Ø4.2	Driver (Ncm) 1.2Hex
Single	SICM-H	SICR-H	20Ncm

Anthogyr AXIOM

*Set (CCM Abt + screw)



Connection \ Platform Ø	universal Ø 3.4/4.0/4.6/5.2	Driver (Ncm) 1.18Hex
Single	ANG-E	25Ncm
Bridge	ANG-N	

Tekka In-Kone

*Set (CCM Abt + screw)



Connection \ Platform Ø	Standard Ø3.5/4.0/4.5/5.5	Driver (Ncm) 1.2Hex
Single	TEK-H	15Ncm

Geo Screw Driver



Angled Driver

Square Type / Ratchet Type
Use with LS Multibase Abutment
Maximum Angle 25°
Recommended torque allowance : below 30Ncm.(reference manufacture's guide)
Caution: unstable connection may bend or destroy the driver
Recommended usage (1.2hex/1.27hex)-10 times
(Universal Type)- 20 times
Connect with Square type Torque wrench
May use Round Type Torque wrench
by connecting HDEC - Short (Clinic)Handle



Connect Straight & Angle driver
with the Torque Wrench



Straight Driver

Square Type / Ratchet Type
Connect by manufacture's recommended torque allowance
Damage on the tip or usage of long period of time need to exchange driver
Connect with Sqaure type Torque wrench
May use Round Type Torque wrench
by connecting HDEC - Short (Clinic)Handle

Universal - Round hexagon

Square Type / Ratchet Type
Connect by manufacture's recommended torque allowance
Damage on the tip or usage of long period of time need to exchange driver
Connect with Square type Torque wrench
May use Round Type Torque wrench
by connecting HDEC - Short (Clinic)Handle

Angled Driver


3i & Osstem - 1.2mm Hex

	ASD3IL	Square -20mm		ASD3IR	Square -13mm		ALD3IL	Ratchet -20mm		ALD3IR	Ratchet -13mm

Astra & Zimmer & Dentium - 1.27mm Hex

	ASDZIL	Square -20mm		ASDZIR	Square -13mm		ALDZIL	Ratchet -20mm		ALDZIR	Ratchet -13mm

Universal - Round hexagon

	ASDUVL	Square -20mm		ASDUVR	Square -13mm		ALDUVL	Ratchet -20mm		ALDUVR	Ratchet -13mm

Geo Screw Driver

Straight Driver

3i – 1.2mm Hex

	SSD3IL	Square -20mm		SSD3IR	Square -13mm		SLD3IL	Ratchet -20mm		SLD3IR	Ratchet -13mm
	SSD3IEL	Square -35mm									

Zimmer – 1.27mm Hex

	SSDZIL	Square -20mm		SSDZIR	Square -13mm		SLDZIL	Ratchet -20mm		SLDZIR	Ratchet -13mm

Astra – 1.27mm Hex

	SSDATL	Square -20mm		SSDATR	Square -13mm		SLDATL	Ratchet -20mm		SLDATR	Ratchet -13mm
	SSDATEL	Square -35mm									

Nobel – unigrip


	SSDNBL	Square -20mm		SSDNBR	Square -13mm		SLDNBL	Ratchet -20mm		SLDNBR	Ratchet -13mm
	SSDNBEL	Square -35mm									

Straumann – Torx

	SSDSTL	Square -20mm		SSDSTR	Square -13mm		SLDSTL	Ratchet -20mm		SLDSTR	Ratchet -13mm
	SSDSTEL	Square -35mm									

Geo Screw Driver

Driver Tool

HDEL	Long (Lab) Handle		Long (Lab) Handle & Driver
HDEC	Short (Clinic) Handle		Short (Clinic) Handle & Driver
GTW	Torque Wrench		Round Type Torque Wrench & Handle Short & Driver
			SquareType Torque Wrench & Driver



Lab Driver Set





Lab Driver Set

Description		
Product		
Size	Code	Implant System
1.2 Hex	Blue	Osstem Implant / Dio Implant Biomet 3i / Xive
1.27 Hex	Red	Dentium /Astra Tech Zimmer
Unigrip	Yellow	Nobel Biocare
Torx	Green	Straumann
1.0Hex	Purple	Ankylos
Universal	Black	Dynamic

Instructions of CAD/CAM Abutment


< Procedure for intra-oral scan >



1. Scanbody inserting




2. Scanning



3.Matching [Scanbody and Library]



4.Designing - 3shape / Exocad





5. Sintering





6. Setting

< Procedure for model scan >




1. Scanbody inserting








2. Scanning




3.Matching
[Scanbody and Library]













4.Designing - 3shape / Exocad













5. Sintering and model setting

Instructions of CCM Casting Abutment

< Screw Type manufacturing>



CCM Casting abutment



Status of Wax-up the connection of the metal part has more wax to prevent the occurrence of air bubble in the connection part.





Status after casting of general Porcelain metal.



Investment material and the oxide film is removed by using a Glass bead (50um/ 2~4 bar)



The oxide film can be removed cleanly without damaging the internal side of Hex.



The Junction is checked in the shape of work in the condition where the oxide film is removed.



Upon sanding with alumina oxide, it can be the cause of plaque.




Status after the oxide film is removed.



The formation of oxide film can be observed on the basal area of firing porcelain.



The firing porcelain part is wrapped by using wax.



The oxide film is removed by using the Glass bead.



The oxide film of internal side of Access hole is removed.




Final compatibility of finished upper structure is checked.




< Customized Type manufacturing>



Full contour wax up





Gum sculpture



after Casting














Instructions of CCM Casting Abutment

< Hybrid Type manufacturing>



Wax up on the Model



Separation of Abutment from Model



Sprue installation




After Casting







Screw Type is manufactured by using Denture Resin






< Bar Overdenture manufacturing>







Wax up on the Model



Milling in the desired form on the Wax





Bar Milling after Casting




Check the compliance

Geo Library











Free Geo Library available for 3Shape and exocad

High quality of stability and accuracy

One scanbody can be used to design all type of implant restorations

Providing library for Ti-base

Premill blank and implant bridge

Benefits :

Optimized to show best function in dental CAD

Enable to design individual prosthetic solutions for various implant systems.

Available in 3Shape and Exocad with various Ti-bases.

Flexible to fabricate milled structures with its individuality.

Application :

Individual ceramic abutments on titanium bases

Individual one-piece titanium abutments

Occlusal screwable crowns and bridges

Bars, telescopes

Screw retained abutment

Customized Zirconia abutment

Customized titanium abutment



Selection of Geo Library

Library for Implant System

- Geo_0101_SUM
- Geo_0102_SURO
- Geo_0103_EXM
- Geo_0104_EXR

Geo product code for different type


- LS(short)Link — Gingival height(1.3mm/2.0mm)
  - LS
- LL(long)Link — Abutment height(cutting line)
  - LL_C13_H40
  - LL_C13_H55
  - LL_C20_H43
  - LL_C20_H60
- CMFit — Premill,blank


Cement gap option with correspond Scanbody


Cement [gap]-Zirconia


027	SC	Model Scanbody
035	SC	
042	SC	
052	SC	
027	GMS-S	Intra-oral Scanbody
035	GMS-S	
045	GMS-S	
052	GMS-S	Height(7.0 ~8.0mm)
027	GMS-L	Height(10.5 ~11.5mm)
035	GMS-L	
042	GMS-L	
052	GMS-L	
08	PMMA-SC	Model Scanbody
10	PMMA-SC	
08	PMMA-GMS-S	Intra-oral Scanbody
10	PMMA-GMS-S	
08	PMMA-GMS-L	
10	PMMA-GMS-L	

Cement [gap]-PMMA,Metal









Geo BS Library- Bridge&Single

Brand	Implant System	System code	Bridge(Bar)	Sinlge	Scanbody code	Screw	
						Geo screw code	Compatible with original
Osstem	TS M	SUM	✓	✓	SC-SUM	SUMC	v
	TS Standard	SURO	✓	✓	SC-SURO	SUROC	v
	US M	EXM	✓	✓	SC-EXM	EXMC	v
	US R	EXR	✓	✓	SC-EXR	EXRC	v
	US W	EXW	✓	✓	SC-EXW	EXWC	v
Dentium	Superline	DER	✓	✓	SC-DER	DERC	v
	Screw-Abutment	MUDE45	✓		SC-MUDE	MUDEC	v
		MUDE55	✓		SC-MUDE	MUDEC	v
Straumann	Bonelevel 3.3	BLM	✓	✓	SC-BLM	BLMC	v
	Bonelevel 4.1	BLR	✓	✓	SC-BLR	BLMC	v
	Bonelevel 4.8	BLR	✓	✓	SC-BLR	BLRC	v
	Tissue level 4.8	ITR	✓	✓	SC-ITRW	bridge - ITTC	Temporary screw
						single - ITC	v
	Tissue level 6.5	ITW	✓	✓	SC-ITRW	bridge - ITTC	Temporary screw
						single - ITC	v
	SynOcta coping	MUIT	✓		SC-MUIT	MUITC	v
	SRA Abutment	MUSR35	✓		SC-MUSR35	MUSRC	v
		MUSR46	✓		SC-MUSR46	MUSRC	v
Nobel	Multi Unit	MUTB	✓		SC-MUTB	MUTBC	v
	Active 3.5	ACN	✓	✓	SC-ACN	ACNC	v
	Active 4.3	ACR	✓	✓	SC-ACR	ACRC	v
	Active 5.0	ACR	✓	✓	SC-ACR	ACRC	v
	Active 5.5	ACW	✓	✓	SC-ACW	ACRC	v
	Branemark 3.4	EXM	✓	✓	SC-EXM(B)	EXMBC	v
	Branemark 4.1	EXR	✓	✓	SC-EXR(B)	EXRBC	v
	Branemark 5.1	EXW	✓	✓	SC-EXW(B)	EXWBC	v
	Replace 3.5 rpm	RPM	✓	✓	SC-RPM	RPMC	v
	Replace 4.3 rpm	RPR	✓	✓	SC-RPR	RPRC	v
	Replace 5.0 rpm	RPW	✓	✓	SC-RPW	RPRC	v
	Replace 6.0 rpm	RP60	✓	✓	SC-RP60	RPRC	v
Dentsply	Xive 3.0	XV3	✓	✓	SC-XV3	XV3C	v
	Xive 3.4	XVM	✓	✓	SC-XVM	XVC	v
	Xive 3.8	XVR	✓	✓	SC-XVR	XVC	v
	Xive 4.5	XVW	✓	✓	SC-XVW	XVC	v
	Xive 5.5	XV55	✓	✓	SC-XVW	XVC	v
Ankylos	AK II	AKLL	✓		OS-AKLL	DNF3C	special screw

Geo BS Library- Bridge&Single

Brand	Implant System	System code	Bridge(Bar)	Sinlge	Scanbody	Screw	
					code	Geo screw code	Compatible with original
3i	Certain 3.4	3ICM	✓	✓	SC-3ICM	3ICC	v
	Certain 4.1	3ICR	✓	✓	SC-3ICR	3ICC	v
	Certain 5.0	3ICW	✓	✓	SC-3ICR	3ICC	v
	Certain 6.0	3IC60	✓	✓	SC-3ICR	3ICC	v
	External 3.4	EX3M	✓	✓	SC-EX3M	EXRC	v
	External 4.1	EXR	✓	✓	SC-EXR	EXRC	v
	External 5.0	EXT	✓	✓	SC-EXR	EXRC	v
	External 6.0	EXTW	✓	✓	SC-EXR	EXRC	v
Zimmer	TSV 3.5	TSV3	✓	✓	SC-TSV3	TSVC	v
	TSV 4.5	TSV4	✓	✓	SC-TSV4	TSVC	v
	TSV 5.7	TSV4	✓	✓	SC-TSV5	TSVC	v
Astra	Astra EV 3.0	AEV30	✓		SC-AEV30	AEV30C	v
	Astra EV 3.6	AEV36	✓		SC-AEV36	AEV36C	v
	Astra EV 4.2	AEV42	✓		SC-AEV42	AEV42C	v
	Astra EV 4.8	AEV48	✓		SC-AEV48	AEV4854C	v
	Astra EV 5.4	AEV54	✓		SC-AEV54	AEV4854C	v
	Astra 3.5	ASR	✓	✓	SC-ASR	ASRC	v
	Astra 4.0	ASR	✓	✓	SC-ASR	ASRC	v
	Astra 4.5	ASW	✓	✓	SC-ASW	ASWC	v
	Astra 5.0	ASW	✓	✓	SC-ASW	ASWC	v
Camlog	Camlog 3.3	CAM33	✓		SC-CAM33	CAMC	v
	Camlog 3.8	CAM38	✓		SC-CAM38	CAMC	v
	Camlog 4.3	CAM43	✓		SC-CAM43	CAMC	v
	Camlog 5.0	CAM50	✓		SC-CAM5060	CAM5060C	v
	Camlog 6.0	CAM60	✓		SC-CAM5060	CAM5060C	v
Magazen	AnyOne	MAO	✓	✓	SC-DER	MAOC	v
	Anyridge	MARR	✓	✓	SC-MARR	MARRC	v
Dentis	S-clean	DET	✓	✓	SC-DER	DERC	v
Dio	UF	SURD	✓	✓	SC-SURO	SURDC	v
Neo	IS	DERN	✓	✓	SC-SURO	DERNC	v
MIS	C1 3.3	C1M	✓		SC-C1M	C1MC	v
	C1 3.75 / 4.2	C1R	✓		SC-C1R	C1C	v
	C1 5.0	C1W	✓		SC-C1W	C1C	v

Geo Product List (Scanbody / Multibase / CMFit / 3D Analog / CCM Abutment / Sirona Ti-base)

NO	Company	Implant system	Platform	Library Code	Type	SC(OS) Scanbody	GMS Scanbody	LL-Multibase	LS-Multibase	CMFit 10mm	CMFit 14mm	3D Analog	Screw (5ea Pack)	CCM Abutment (Co-Cr base)	Sirona Ti-base
101	Osstem	TS	3.0/3.5	0101-SUM	Single	SC-SUM	GMS-SUMS	LL2-SUM13-H2	LS2-SUM-H2	CMFIT10-SUM-H2	CMFIT14-SUM-H2	3D-SUM	AC-SUM5	SUM-H2	SRN2-SUM-H2
								LL2-SUM20-H2							
					Bridge		GMS-SUML	LL2-SUM13-N2	LS2-SUM-N2	CMFIT10-SUM-N2				SUM-N2	-
								LL2-SUM20-N2							
102			4.0/4.5/5.0-	0102-SURO	Single	SC-SURO	GMS-SUROS	LL2-SURO13-H2	LS2-SURO-H2	CMFIT10-SURO-H2	CMFIT14-SURO-H2	3D-SURO	AC-SURO5	SURO-H2	SRN2-SURO-H2
								LL2-SURO20-H2						SURO22-H2	
								LL2-SURO30-H2						SURO30-H2	SRN2-SURO26-H2
								LL2-SURO40-H2						-	
					Bridge		GMS-SUROL	LL2-SURO13-N2	LS2-SURO-N2	CMFIT10-SURO-N2	CMFIT14-SURO-N2			SURO-N2	-
								LL2-SURO20-N2						SURO22-N2	
								LL2-SURO30-N2						SURO30-N2	
								LL2-SURO40-N2						-	
103		US	3.5	0103-EXM	Single	SC-EXM	GMS-EXMS	LL2-EXM-H2	LS2-EXM-H2	CMFIT10-EXM-H2	CMFIT14-EXM-H2	3D-EXM	AC-EXM5	EXM-H2	-
					Bridge		GMS-EXML	LL2-EXM-N2						EXM-N2	
104			4.1	0104-EXR	Single	SC-EXR	GMS-EXRS	LL2-EXR-H2	LS2-EXR-H2	CMFIT10-EXR-H2	CMFIT14-EXR-H2	3D-EXR	AC-EXR5	EXR-H2	SRN2-EXR-H2
					Bridge		GMS-EXRL	LL2-EXR-N2		CMFIT10-EXR-N2				EXR-N2	
105			5.1	0105-EXW	Single	SC-EXW	GMS-EXWS	LL2-EXW-H2	LS2-EXW-H2	CMFIT10-EXW-H2	CMFIT14-EXW-H2	3D-EXW	AC-EXW5	EXW-H2	-
					Bridge		GMS-EXWL	LL2-EXW-N2						EXW-N2	
106		SS	4.8	0106-ISR	Single	SC-ISRW	GMS-ISRS	LL2-ISR-O2	-	CMFIT10-ISR-O2	CMFIT14-ISR-O2	3D-ISR	AC-EXR5	ISR-O2	-
					Bridge		GMS-ISRL	LL2-ISR-N2						ISR-N2	
107			6.0	0107-ISW	Single		GMS-ISWS	LL2-ISW-O2	-	CMFIT10-ISW-O2	CMFit14-ISW-O2	3D-ISW		ISW-O2	-
					Bridge		GMS-ISWL	LL2-ISW-N2						ISW-N2	
201	Dentium	Super-Line	3.7/4.0/4.5 (Universal)	0201-DER	Single	SC-DER	GMS-DERS	LL2-DER13-H2	LS2-DER-H2	CMFIT10-DER-H2	CMFIT14-DER-H2	3D-DER	AC-DER5	DER-H2	SRN2-DER-H2
								LL2-DER20-H2						DER20-H2	SRN2-DER26-H2
								LL2-DER30-H2						DER30-H2	-
					Bridge		GMS-DERL	LL2-DER13-N2	LS2-DER-N2	CMFIT10-DER-N2	CMFIT14-DER-N2			DER-N2	-
								LL2-DER20-N2						DER20-N2	
								LL2-DER30-N2						DER30-N2	
202		NR-Line	3.1/3.6/4.3 (Standard)	0202-DNR	Single	OS-DNR	-	-	-	CMFIT10-DNR-R	-	-	AC-DNR5	-	-
301	Megagen	AnyRidge	3.5/4.0/4.5 (Universal)	0301-MARR	Single	SC-MARR	GMS-MARRS	LL2-MARR-H2	LS2-MARR-H2	CMFIT10-MARR-H2	CMFIT14-MARR-H2	3D-MARR	AC-MARR5	MARR-H2	SRN2-MARR-H2
								LL2-MARR20-H2							
								LL2-MARR30-H2							
					Bridge		GMS-MARRL	LL2-MARR-N2	-	-	-			MARR-N2	-
								LL2-MARR20-N2							
302		AnyOne	3.5/4.0/4.5/5.0 (Universal)	0302-DERA	Single	SC-DER	GMS-DERS	LL2-DERA13-H2	LS2-DERA-H2	CMFIT10-DERA-H2	CMFIT14-DERA-H2	3D-DER	AC-MAO5	-	SRN2-DERA-H2
								LL2-DERA20-H2							
								LL2-DERA30-H2							
					Bridge		GMS-DERL	LL2-DERA13-N2	-	CMFIT10-DERA-N2	CMFIT14-DERA-N2			-	SRN2-DERA26-H2
								LL2-DERA20-N2							
								LL2-DERA30-N2							
303		EZ-Plus	3.3	0303-MEPM	Single	SC-MEPM	-	-	-	CMFIT10-MEPM-E	-	-	AC-MEPM5	-	-
304			4.0/4.5/5.0	0304-MEPR	Single	SC-MEPR	-	-	-	CMFIT10-MEPR-E	-	-	AC-MEPR5	-	-
305		EX-feel	4.8 (Regular)	0305-ITRK	Single	SC-ITRK	-	LL2-ITRK-O2	-	CMFIT10-ITRK-O2	CMFIT14-ITRK-O2	3D-ITR	AC-EXR5	ITRK-O2	-
					Bridge			LL2-ITRK-N2		CMFIT10-ITRK-N2				ITRK-N2	
306		Mini	3.0/3.25	0306-MMN	Single	SC-MMN	-	-	-	CMFIT10-MMN-H	-	-	AC-MMN5	-	-
401	Dio	SM	3.8/4.1	0401-DSMM	Single	SC-DSMM	-	-	-	CMFIT10-DSMM-T	-	-	AC-DSMM5	-	-
														-	
402			4.5/5.0	0402-DSMR	Single	SC-DSMR	-	-	-	CMFIT10-DSMR-T	-	-	AC-DSMR5	-	-
														-	

NO	Company	Implant system	Platform	Library Code	Type	SC(OS) Scanbody	GMS Scanbody	LL-Multibase	LS-Multibase	CMFit 10mm	CMFit 14mm	3D Analog	Screw (5ea Pack)	CCM Abutment (Co-Cr base)	Sirona Ti-base
403	Dio	UF / UFII	3.0/3.3 (Narrow)	0403-DN30	Single	SC-MMN	-	-	-	CMFIT10-DN30-H	-	-	AC-DN305	-	-
404			3.8/4.0/4.5/5.0 (Standard)	0404-SURD	Single	SC-SURO	GMS-SUROS	LL2-SURD-H2	-	CMFIT10-SURD-H2	CMFIT14-SURD-H2	3D-SURO	AC-SURD5	SURD-H2	-
								LL2-SURD20-H2							
								LL2-SURD30-H2							
					Bridge		GMS-SUROL	LL2-SURD-N2		CMFIT10-SURD-N2	CMFIT14-SURD-N2			SURD-N2	-
								LL2-SURD20-N2							
								LL2-SURD30-N2							
501	NeoBiotech	IS	3.5/4.0/4.5/5.0-	0501-DERN	Single	SC-SURO	GMS-DERNS	LL2-DERN-H2	-	CMFIT10-DERN-H2	CMFIT14-DERN-H2	3D-DER	AC-DERN5	DERN-H2	SRN2-DERN-H2
								LL2-DERN20-H2							SRN2-DERN26-H2
					Bridge		GMS-DERNL	LL2-DERN-N2		CMFIT10-DERN-N2	CMFIT14-DERN-N2			DERN-N2	-
								LL2-DERN20-N2							
601	Dentis	S-Clean/OneQ	3.9/4.2/4.7/5.2	0601-DERT	Single	SC-DER	GMS-DERS	LL2-DERT13-H2	-	CMFIT10-DERT-H2	CMFIT14-DERT-H2	3D-DER	AC-DERT5	-	-
					Bridge		GMS-DERL	LL2-DERT13-N2							
700	Straumann	BoneLevel	2.9 (SC)	0700-BLS	Single	-	GMS-BLSL	LL2-BLS-R2	-	CMFit10-BLS-R2	-	3D-BLS	AC-BLS5	-	-
701			3.3 (NC)	0701-BLM	Single	SC-BLM	GMS-BLMS	LL2-BLM-R2	LS2-BLM-R2	CMFIT10-BLM-R2	CMFIT14-BLM-R2	3D-BLM	AC-BLM5	BLM-R2	SRN2-BLM-R2
								LL2-BLM20-R2							
					Bridge		GMS-BLML	LL2-BLM-N2						BLM-N2	
								LL2-BLM20-N2							
702			4.1/4.8 (RC)	0702-BLR	Single	SC-BLR	GMS-BLRS	LL2-BLR-R2	LS2-BLR-R2	CMFIT10-BLR-R2	CMFIT14-BLR-R2	3D-BLR	AC-BLR5	BLR-R2	SRN2-BLR-R2
								LL2-BLR20-R2							
								LL2-BLR30-R2							
					Bridge		GMS-BLRL	LL2-BLR-N2						BLR-N2	
								LL2-BLR20-N2							
703	Straumann	Tissue Level	3.5 (NN)	0703-IT35	Single	SC-IT35	-	-	LS2-IT35-O	CMFIT10-IT35-O	-	-	AC-IT355	-	-
704			4.8 (RN)	0704-ITR	Single	SC-ITRW	GMS-ITRS	LL2-ITR-O2	LS2-ITR-O2	CMFIT10-ITR-O2	CMFIT14-ITR-O2	3D-ITR	AC-IT5	ITR-O2	SRN2-ITR-O2
								LL2-ITR20-O2							
					Bridge		GMS-ITRL	LL2-ITR-N2						ITR-N2	
								LL2-ITR20-N2							
705			6.5 (WN)	0705-ITW	Single		GMS-ITWS	LL2-ITW-O2	LS2-ITW-O2	CMFIT10-ITW-O2	CMFIT14-ITW-O2	3D-ITW		ITW-O2	SRN2-ITW-O2
								LL2-ITW20-O2							
					Bridge		GMS-ITWL	LL2-ITW-N2						ITW-N2	
								LL2-ITW20-N2							
710		BLX	3.75/4.5 (RB)	0710-BLX	Single	-	GMS-BLXL	LL2-BLX-T2	-	CMFit10-BLX-T2	CMFit14-BLX-T2	3D-BLX	AC-BLX5	-	-
711			5.5/6.5 (WB)	0711-BLXW	Single	-		-	-	CMFit10-BLXW-T2	CMFit14-BLXW-T2	-		-	-
801	Nobel Biocare	Active	3.0	0801-AC30	Single	OS-AC30	-	LL2-AC30-T2	LS2-AC30-T2	CMFIT10-AC30-T2	-	3D-AC30	AC-AC305	-	-
802			3.5 (NP)	0802-ACN	Single	SC-ACN	GMS-ACNS	LL2-ACN-H2	LS2-ACN-H2	CMFIT10-ACN-H2	CMFIT14-ACN-H2	3D-ACN	AC-ACN5	ACN-H2	SRN2-ACN-H2
								LL2-ACN20-H2							
					Bridge		GMS-ACNL	LL2-ACN-N2						ACN-N2	
								LL2-ACN20-N2							
803			4.3/5.0 (RP)	0803-ACR	Single	SC-ACR	GMS-ACRS	LL2-ACR-H2	LS2-ACR-H2	CMFIT10-ACR-H2	CMFIT14-ACR-H2	3D-ACR	AC-ACR5	ACR-H2	SRN2-ACR-H2
								LL2-ACR20-H2							
					Bridge		GMS-ACRL	LL2-ACR-N2						ACR-N2	
								LL2-ACR20-N2							
804			5.5 (WP)	0804-ACW	Single	SC-ACW	GMS-ACWS	LL2-ACW-H2	-	CMFIT10-ACW-H2	CMFIT14-ACW-H2	3D-ACW		-	-
					Bridge		GMS-ACWL	LL2-ACW-N2							
805		Branemark	3.5 (NP)	0805-EXMB	Single	SC-EXMB	-	LL2-EXMB-H2	LS2-EXMB-H2	CMFIT10-EXMB-H2	CMFIT14-EXMB-H2	3D-EXM	AC-EXMB5	EXMB-H2	-
					Bridge			LL2-EXMB-N2						EXMB-N2	
806			4.1 (RP)	0806-EXRB	Single	SC-EXRB	-	LL2-EXRB-H2	LS2-EXRB-H2	CMFIT10-EXRB-H2	CMFIT14-EXRB-H2	3D-EXR	AC-EXRB5	EXRB-H2	SRN2-EXRB-H2
					Bridge			LL2-EXRB-N2						EXRB-N2	
807			5.1 (WP)	0807-EXWB	Single	SC-EXWB	-	LL2-EXWB-H2	LS2-EXWB-H2	CMFIT10-EXWB-H2	CMFIT14-EXWB-H2	3D-EXW	AC-EXWB5	EXWB-H2	-
					Bridge			LL2-EXWB-N2						EXWB-N2	

NO	Company	Implant system	Platform	Library Code	Type	SC(OS) Scanbody	GMS Scanbody	LL-Multibase	LS-Multibase	CMFit 10mm	CMFit 14mm	3D Analog	Screw (5ea Pack)	CCM Abutment (Co-Cr base)	Sirona Ti-base
808	Nobel Biocare	Replace Select	3.5 (NP)	0808-RPM	Single	SC-RPM	GMS-RPMS	LL2-RPM-E2	LS2-RPM-E2	CMFIT10-RPM-E2	CMFIT14-RPM-E2	3D-RPM	AC-RPM5	RPM-E2	SRN2-RPM-E2
					Bridge		GMS-RPML	LL2-RPM-N2						PRM-N2	
809			4.3 (RP)	0809-RPR	Single	SC-RPR	GMS-RPRS	LL2-RPR-E2	LS2-RPR-E2	CMFIT10-RPR-E2	CMFIT14-RPR-E2	3D-RPR	AC-RPR5	RPR-E2	SRN2-RPR-E2
					Bridge		GMS-RPRL	LL2-RPR-N2						RPR-N2	
810			5 (WP)	0810-RPW	Single	SC-RPW	GMS-RPWS	LL2-RPW-E2	LS2-RPW-E2	CMFIT10-RPW-E2	CMFIT14-RPW-E2	3D-RPW		RPW-E2	SRN2-RPW-E2
					Bridge		GMS-RPWL	LL2-RPW-N2						RPW-N2	
811			6.0	0811-RP60	Single	SC-RP60	GMS-RP60S	LL2-RP60-E2	LS2-RP60-E2	CMFIT10-RP60-E2	CMFIT14-RP60-E2	3D-RP60		-	-
					Bridge		GMS-RP60L	LL2-RP60-N2							
901	Dentsply	Xive	3.0	0901-XV3	Single	SC-XV3	-	LL2-XV3-H2	LS2-XV3-H2	CMFIT10-XV3-H2	-	3D-XV3	AC-XV35	-	-
					Bridge		GMS-XV3L	LL2-XV3-N2							
902			3.4	0902-XVM	Single	SC-XVM	GMS-XVMS	LL2-XVM-H2	LS2-XVM-H2	CMFIT10-XVM-H2	CMFIT14-XVM-H2	3D-XVM	AC-XV5	XVM-H2	SRN2-XVM-H2
					Bridge		GMS-XVML	LL2-XVM-N2						XVM-N2	
903			3.8	0903-XVR	Single	SC-XVR	GMS-XVRS	LL2-XVR-H2	LS2-XVR-H2	CMFIT10-XVR-H2	CMFIT14-XVR-H2	3D-XVR		XVR-H2	SRN2-XVR-H2
					Bridge		GMS-XVRL	LL2-XVR-N2						XVR-N2	
904			4.5	0904-XVW	Single	SC-XVW	GMS-XVWS	LL2-XVW-H2	LS2-XVW-H2	CMFIT10-XVW-H2	CMFIT14-XVW-H2	3D-XVW		XVW-H2	SRN2-XVW-H2
					Bridge		GMS-XVWL	LL2-XVW-N2						XVW-N2	
905			5.5	0905-XV55	Single	SC-XVW	GMS-XVWS	LL2-XV55-H2	LS2-XV55-H2	CMFIT10-XV55-H2	CMFIT14-XV55-H2	3D-XV5		-	-
					Bridge		GMS-XVWL	LL2-XV55-N2							
906		Ankylos	3.4/4.5/5.5 (Universal)	0906-AKLL	Single	OS-AKLL	-	LL2-AKLL-T	-	CMFit10-AKLL-T	CMFit14-AKLL-T	3D-AKLL	-	-	SRN2-AKLL1-T
								LL2-AKLL20-T							SRN2-AKLL2-T
					Bridge			LL2-AKLL-N		CMFit10-AKLL-N	-			DNF3-N	SRN2-AKLL1-N
								LL2-AKLL20-N							SRN2-AKLL2-N
1001	Biomet 3i	Certain	3.4	1001-3ICM	Single	SC-3ICM	GMS-3ICMS	LL2-3ICM-H2	LS2-3ICM-H2	CMFIT10-3ICM-H2	-	3D-3ICM	AC-3IC5	3ICM-H2	-
					Bridge		GMS-3ICML	LL2-3ICM-N2						3ICM-N2	
1002			4.1	1002-3ICR	Single	SC-3ICR	GMS-3ICRS	LL2-3ICR-H2	LS2-3ICR-H2	CMFIT10-3ICR-H2	CMFIT14-3ICR-H2	3D-3ICR		3ICR-H2	-
					Bridge		GMS-3ICRL	LL2-3ICR-N2						3ICR-N2	
1003			5.0	1003-3ICW	Single		GMS-3ICRS	LL2-3ICW-H2	LS2-3ICW-H2	CMFIT10-3ICW-H2	CMFIT14-3ICW-H2	3D-3ICW		-	-
					Bridge		GMS-3ICRL	LL2-3ICW-N2							
1004			6.0	1004-3IC60	Single		GMS-3ICRS	LL2-3IC60-H2	LS2-3IC60-H2	CMFIT10-3IC60-H2	CMFIT14-3IC60-H2	3D-3IC60		-	-
					Bridge		GMS-3ICRL	LL2-3IC60-N2							
1005		External / Osseotite	3.4	1005-EX3M	Single	SC-EX3M	-	LL2-EX3M-H2	-	CMFTI10-EX3M-H2	-	-	AC-EXR5	-	-
					Bridge			LL2-EX3M-N2							
1006			4.1	1006-EXR	Single	SC-EXR	GMS-EXRS	LL2-EXR-H2	LS2-EXR-H2	CMFIT10-EXR-H2	CMFIT14-EXR-H2	3D-EXR		EXR-H2	SRN2-EXR-H2
					Bridge		GMS-EXRL	LL2-EXR-N2		CMFIT10-EXR-N2				EXR-N2	
1007			5.0	1007-EXT	Single		GMS-EXRS	LL2-EXT-H2	LS2-EXT-H2	CMFIT10-EXT-H2	CMFIT14-EXT-H2	-		EXT-H2	-
					Bridge		GMS-EXRL	LL2-EXT-N2						EXT-N2	
1008			6.0	1008-EXTW	Single		GMS-EXRS	LL2-EXTW-H2	-	CMFIT10-EXTW-H2	CMFIT14-EXTW-H2	-		-	-
					Bridge		GMS-EXRL	LL2-EXTW-N2							
1101	Implant Direct	Legacy	3.0	1101-TSVM	Single	OS-TSVM	-	LL2-TSVM-H2	-	CMFIT10-TSVM-H2	-	3D-TSVM	AC-TSVM5	-	-
1201	Zimmer	Tapered Screw-Vent	3.5	1201-TSV3	Single	SC-TSV3	GMS-TSV3S	LL2-TSV3-H2	LS2-TSV3-H2	CMFIT10-TSV3-H2	CMFIT14-TSV3-H2	3D-TSV3	AC-TSV5	TSV3-H2	SRN2-TSV3-H2
								LL2-TSV320-H2							
					Bridge		GMS-TSV3L	LL2-TSV3-N2						TSV3-N2	
								LL2-TSV320-N2							
1202			4.5	1202-TSV4	Single	SC-TSV4	GMS-TSV4S	LL2-TSV4-H2	LS2-TSV4-H2	CMFIT10-TSV4-H2	CMFIT14-TSV4-H2	3D-TSV4		TSV4-H2	SRN2-TSV4-H2
								LL2-TSV420-H2							
					Bridge		GMS-TSV4L	LL2-TSV4-N2						TSV4-N2	
								LL2-TSV420-N2							
1203			5.7	1203-TSV5	Single	SC-TSV5	GMS-TSV5S	LL2-TSV5-H2	LS2-TSV5-H2	CMFIT10-TSV5-H2	CMFIT14-TSV5-H2	3D-TSV5		TSV5-H2	SRN2-TSV5-H2
					Bridge		GMS-TSV5L	LL2-TSV5-N2						TSV5-N2	
1204		Spline	3.7/4.0	1204-SP40	Single	SC-SP40	-	LL2-SP40-H	-	-	CMFIT14-SP40-H	-		SP40-H	-
1205			5.0	1205-SP50	Single		-	LL2-SP50-H	-	-	CMFIT14-SP50-H	-		-	-

NO	Company	Implant system	Platform	Library Code	Type	SC(OS) Scanbody	GMS Scanbody	LL-Multibase	LS-Multibase	CMFit 10mm	CMFit 14mm	3D Analog	Screw (5ea Pack)	CCM Abutment (Co-Cr base)	Sirona Ti-base
1301	Astra Tech	Osseospeed	3.0 (Yellow)	1301-AS3	Single	SC-AS3	-	LL2-AS3-T2	-	CMFIT10-AS3-T2	-	3D-AS3	AC-AS35	AS3-T2	-
							GMS-AS3L								
1302			3.5/4.0 (Aqua)	1302-ASR	Single	SC-ASR	GMS-ASRS	LL2-ASR-H2	LS2-ASR-H2	CMFIT10-ASR-H2	CMFIT14-ASR-H2	3D-ASR	AC-ASR5	ASR-H2	SRN2-ASR-H2
								LL2-ASR20-H2							
					Bridge		GMS-ASRL	LL2-ASR-N2						ASR-N2	
								LL2-ASR20-N2							
1303			4.5/5.0 (Lilac)	1303-ASW	Single	SC-ASW	GMS-ASWS	LL2-ASW-H2	LS2-ASW-H2	CMFIT10-ASW-H2	CMFIT14-ASW-H2	3D-ASW	AC-ASW5	ASW-H2	SRN2-ASW-H2
								LL2-ASW20-H2							
					Bridge		GMS-ASWL	LL2-ASW-N2						ASW-N2	
								LL2-ASW20-N2							
1304		EV	3 (Green)	1304-AEV30	Single	SC-AEV30	GMS-AEV30S	LL2-AEV30-T2	-	CMFIT10-AEV30-T2	-	3D-AEV30	AC-AEV305	-	-
					Bridge		GMS-AEV30L	LL2-AEV30-N2							
1305			3.6 (Purple)	1305-AEV36	Single	SC-AEV36	GMS-AEV36S	LL2-AEV36-T2	-	CMFIT10-AEV36-T2	CMFIT14-AEV36-T2	3D-AEV36	AC-AEV365	-	-
								LL2-AEV3620-T2							
					Bridge		GMS-AEV36L	LL2-AEV36-N2							
								LL2-AEV3620-N2							
1306			4.2 (Yellow)	1306-AEV42	Single	SC-AEV42	GMS-AEV42S	LL2-AEV42-T2	-	CMFIT10-AEV42-T2	CMFIT14-AEV42-T2	3D-AEV42	AC-AEV425	-	-
								LL2-AEV4220-T2							
					Bridge		GMS-AEV42L	LL2-AEV42-N2							
								LL2-AEV4220-N2							
1307			4.8 (Blue)	1307-AEV48	Single	SC-AEV48	GMS-AEV48S	LL2-AEV48-T2	-	CMFIT10-AEV48-T2	CMFIT14-AEV48-T2	3D-AEV48	AC-AEV48545	-	-
								LL2-AEV4820-T2							
					Bridge		GMS-AEV48L	LL2-AEV48-N2							
								LL2-AEV4820-N2							
1308			5.4 (Brown)	1308-AEV54	Single	SC-AEV54	GMS-AEV54S	LL2-AEV54-T2	-	CMFIT10-AEV54-T2	CMFIT14-AEV54-T2	3D-AEV54		-	-
								LL2-AEV5420-T2							
					Bridge		GMS-AEV54L	LL2-AEV54-N2							
								LL2-AE5420-N2							
1401	Camlog	Camlog	3.3	1401-CAM33	Single	SC-CAM33	-	LL2-CAM33-T2	-	CMFIT10-CAM33-T2	-	3D-CAM33	AC-CAM5	-	-
					Bridge			LL2-CAM33-N2							
1402			3.8	1402-CAM38	Single	SC-CAM38	-	LL2-CAM38-T2	-	CMFIT10-CAM38-T2	CMFIT14-CAM38-T2	3D-CAM38		-	-
					Bridge			LL2-CAM38-N2							
1403			4.3	1403-CAM43	Single	SC-CAM43	-	LL2-CAM43-T2	-	CMFIT10-CAM43-T2	CMFIT14-CAM43-T2	3D-CAM43		-	-
					Bridge			LL2-CAM43-N2							
1404			5.0	1404-CAM50	Single	SC-CAM5060	-	LL2-CAM50-T2	-	CMFIT10-CAM50-T2	CMFIT14-CAM50-T2	3D-CAM5060	AC-CAM50605	-	-
					Bridge			LL2-CAM50-N2							
1405			6.0	1405-CAM60	Single		-	LL2-CAM60-T2	-	CMFIT10-CAM60-T2	CMFIT14-CAM60-T2			-	-
					Bridge			LL2-CAM60-N2							
1406		Conelog	3.3	1406-CN33	Single	-	GMS-CN33L	-	-	CMFit10-CN33-E	-	3D-CN33	AC-CN5	-	-
1407			3.8/4.3	1407-CN3843	Single	-	GMS-CN3843L	-	-	-	CMFit14-CN3843-E	3D-CN3843		-	-
1408			5.0	1408-CN50	Single	-	GMS-CN50L	-	-	-	CMFit14-CN50-E	3D-CN50	AC-CN505	-	-
1501	MIS	Seven	3.3 (Narrow)	1501-MS33	Single	SC-MS33	-	LL2-MS33-H	-	CMFIT10-MS33-H	-	3D-MS33	AC-MS335	-	-
					Bridge			LL2-MS33-N							
1502			3.75/4.2 (Standard)	1502-MSR	Single	SC-TSV3	GMS-TSV3S	LL2-MSR-H	-	CMFIT10-MSR-H	CMFIT14-MSR-H	3D-TSV3	AC-MS5	-	-
					Bridge		GMS-TSV3L	LL2-MSR-N							
1503			5.0/6.0 (Wide)	1503-MSW	Single	SC-TSV4	GMS-TSV4S	LL2-MSW-H	-	CMFIT10-MSW-H	CMFIT14-MSW-H	3D-TSV4		-	-
					Bridge		GMS-TSV4L	LL2-MSW-N							
1504		C1	3.3	1504-C1M	Single	SC-C1M	GMS-C1MS	LL2-C1M-T	-	CMFIT10-C1M-T	CMFIT14-C1M-T	3D-C1M	AC-C1M5	C1M-T	-
					Bridge		GMS-C1ML	LL2-C1M-N						C1M-N	
1505			3.75/4.2	1505-C1R	Single	SC-C1R	GMS-C1RS	LL2-C1R-T	-	CMFIT10-C1R-T	CMFIT14-C1R-T	3D-C1R	AC-C15	C1R-T	-
					Bridge		GMS-C1RL	LL2-C1R-N						C1R-N	
1506			5.0	1509-C1W	Single	SC-C1W	GMS-C1WS	LL2-C1W-T	-	CMFIT10-C1W-T	CMFIT14-C1W-T	3D-C1W		C1W-T	-
					Bridge		GMS-C1WL	LL2-C1W-N						C1W-N	

NO	Company	Implant system	Platform	Library Code	Type	SC(OS) Scanbody	GMS Scanbody	LL-Multibase	LS-Multibase	CMFit 10mm	CMFit 14mm	3D Analog	Screw (5ea Pack)	CCM Abutment (Co-Cr base)	Sirona Ti-base
1601	SIC	ace / SIC max	3.3	1601-SICM	Single	SC-SIC	-	LL2-SICM-H	-	CMFIT10-SICM-H	CMFIT14-SICM-H	3D-SICM	AC-SIC5	SICM-H	-
					Bridge			LL2-SICM-N							
1602			4.2	1602-SICR	Single		-	LL2-SICR-H	-	CMFIT10-SICR-H	CMFIT14-SICR-H	3D-SICR		SICR-H	-
					Bridge			LL2-SICR-N							
1701	Thommen	SPI	3.5	1701-SPI35	Single	SC-SPI35	-	LL2-SPI35-H	-	CMFIT10-SPI35-H	-	3D-SPI35	AC-SPI355	-	-
					Bridge			LL2-SPI35-N							
1702			4.0	1702-SPI40	Single	SC-SPI40	-	LL2-SPI40-H	-	CMFIT10-SPI40-H	CMFIT14-SPI40-H	3D-SPI40	AC-SPI5	-	-
					Bridge			LL2-SPI40-N							
1703			4.5	1703-SPI45	Single	SC-SPI45	-	LL2-SPI45-H	-	CMFIT10-SPI45-H	CMFIT14-SPI45-H	3D-SPI45		-	-
					Bridge			LL2-SPI45-N							
1704			5.0	1704-SPI50	Single		-	LL2-SPI50-H	-	CMFIT10-SPI50-H	CMFIT14-SPI50-H	3D-SPI50		-	-
					Bridge			LL2-SPI50-N							
1705			6.0	1705-SPI60	Single		-	LL2-SPI60-H	-	CMFIT10-SPI60-H	CMFIT14-SPI60-H	-		-	-
					Bridge			LL2-SPI60-N							
1801	Bego	Bego	3.7	1801-BEGO37	Single	SC-BEGO	-	LL2-BEGO37-H	-	CMFIT10-BEGO37-H	-	3D-BEGO37	AC-BEGO5	-	-
					Bridge			LL2-BEGO37-N						-	
1802			4.1	1802-BEGO41	Single		-	LL2-BEGO41-H	-	CMFIT10-BEGO41-H	-	3D-BEGO41		-	-
					Bridge			LL2-BEGO41-N						-	
1803			4.5	1803-BEGO45	Single		-	LL2-BEGO45-H	-	CMFIT10-BEGO45-H	CMFIT14-BEGO45-H	3D-BEGO45		-	-
1804			5.5	1804-BEGO55	Single		-	LL2-BEGO55-H	-	CMFIT10-BEGO55-H	CMFIT14-BEGO55-H	3D-BEGO55		-	-
1901	Mytis	Arrow	3.7/4.0	1901-AR3740	Single	-	GMS-AR3740L	-	-	CMFIT10-AR3740-H	-	-	AC-AR5	-	-
1902			4.7/6.0	1902-AR4760	Single	OS-AR4760	-	-	-	CMFIT10-AR4760-H	-	-		-	-
2001	KYOCERA	POI	3.7	2001-POI37	Single	SC-POI37	-	LL2-POI37-H	-	CMFIT10-POI37-H	-	-	AC-POI375	-	-
2002			4.2	2002-POI42	Single	SC-POI42	-	LL2-POI42-H	-	CMFIT10-POI42-H	-	-	AC-POI425	-	-
2101	Biohorizion	Laser Lok	3.0	2101-BH30	Single	OS-BH30	-	LL2-BH30-H2	-	CMFIT10-BH30-H2	-	3D-BH30	AC-BH305	-	-
								LL2-BH30-N2							
2201	Anthorgyr	AXIOM Bone Level	3.4/4.0/4.6/5.2 (Universal)	2201-ANG	Single	SC-ANG	GMS-ANGS	LL2-ANG-E	-	CMFIT10-ANG-E	-	3D-ANG	AC-ANG5	ANG-E	-
					Bridge		GMS-ANGL	LL2-ANG-N						ANG-N	
2301	WARANTEC	Oneplant	4.3/4.8/5.3 (Standard)	2301-WOP	Single	SC-WOP	-	-	-	CMFIT10-WOP-O	-	-	AC-WOP5	-	-
					Bridge										
2302		IU	3.3/3.6 (Mini)	2302-SUMW	Single	-	GMS-SUMWL	LL2-SUMW-H2	-	CMFIT10-SUMW-H2	-	3D-SUMW	AC-SUMW5	-	-
2401	Tekka	In-Kone	3.5/4.0/4.5/5.5 (Standard)	2401-TEK	Single	SC-TEK	-	-	-	CMFIT10-TEK-H	-	3D-TEK	AC-TEK5	TEK-H	-
					Bridge										
2501	Keystone	PrimaConnex / Max-TriLobe	3.5	2501-KEP35	Single	SC-KEP35	GMS-KEP35S	LL2-KEP35-T2	LS2-KEP35-T2	CMFIT10-KEP35-T2	CMFIT14-KEP35-T2	3D-KEP35	AC-KEP5	-	-
					Bridge		GMS-KEP35L	LL2-KEP35-N2							
2502			4.1	2502-KEP41	Single	SC-KEP41	GMS-KEP41S	LL2-KEP41-T2	LS2-KEP41-T2	CMFIT10-KEP41-T2	CMFIT14-KEP41-T2	3D-KEP41		-	-
					Bridge		GMS-KEP41L	LL2-KEP41-N2							
2503			5.0/6.0	2503-KEP50	Single	SC-KEP50	GMS-KEP50S	LL2-KEP50-T2	LS2-KEP50-T2	CMFIT10-KEP50-T2	CMFIT14-KEP50-T2	3D-KEP50		-	-
					Bridge		GMS-KEP50L	LL2-KEP50-N2							
2504			7.0	2504-KEX50	Single		GMS-KEP50S	LL2-KEX50-T2	LS2-KEX50-T2	-	CMFIT14-KEX50-T2	3D-KEX50		-	-
					Bridge		GMS-KEP50L	LL2-KEX50-N2							
2505			8.0	2505-KEX65	Single		GMS-KEP50S	LL2-KEX65-T2	LS2-KEX65-T2	-	CMFIT14-KEX65-T2	3D-KEX65		-	-
					Bridge		GMS-KEP50L	LL2-KEX65-N2							
2601	Neodent	CM	3.5/4.3/5.0 (Standard)	2601-NCM	Single	SC-NCM	-	-	-	CMFIT10-NCM-H	-	3D-NCM	-	-	-
2602		GM	3.5/3.75/4.0/4.3/5.0 (Standard)	2602-NCG	Single	SC-NCG	GMS-NCGL	LL2-NCG-H2	-	CMFIT10-NCG-H2	CMFIT14-NCG-H2	3D-NCG	AC-NCG5	-	-
								LL2-NCG20-H2							
								LL2-NCG-N2							
								LL2-NCG20-N2							

NO	Company	Implant system	Platform	Library Code	Type	SC(OS) Scanbody	GMS Scanbody	LL-Multibase	LS-Multibase	CMFit 10mm	CMFit 14mm	3D Analog	Screw (5ea Pack)	CCM Abutment (Co-Cr base)	Sirona Ti-base
2701	BICON	BICON Implant	2.0	2701-BC20	Bridge	SC-BC20	-	LL2-BC20-N	-	CMFIT10-BC20-N	-	-	-	-	-
2702			2.5	2702-BC25	Bridge	SC-BC25	-	LL2-BC25-N	-	CMFIT10-BC25-N	-	-	-	-	-
2703			3.0	2703-BC30	Bridge	SC-BC30	-	LL2-BC30-N	-	CMFIT10-BC30-N	-	-	-	-	-
2801	Medentika	IPS	3.5/4.0/4.5/5.0	2801-MTR	Single	SC-MTR	-	-	-	CMFIT10-MTR-R	-	-	AC-MTR5	-	-
2901	GC	Aadva Implant	4.0/5.0 (Regular / Wide)	2901-GAD	Single	SC-GAD	-	-	-	CMFIT10-GAD-H	-	-	AC-GAD5	-	-
3001	BIOTECH	KONTACT	3.0	3001-BK30	Single	SC-BK30	-	LL2-BK30-T	-	CMFIT10-BK30-T	-	3D-BK30	AC-BK305	-	-
					Bridge			LL2-BK30-N							
3002			3.6/4.2/4.8/5.4	3002-BK40	Single	SC-BK40	-	LL2-BK40-T	-	CMFIT10-BK40-T	-	3D-BK40	AC-BK405	-	-
					Bridge			LL2-BK40-N							
3101	Medentis medical	ICX	3.75/4.1/4.8	3101-ICX	Single	SC-ICX	-	LL2-ICX-H	-	CMFIT10-ICX-H	CMFIT14-ICX-H	3D-ICX	AC-ICX5	-	-
					Bridge			LL2-ICX-N							
3201	B&B Dental	Dura-Vit	4.0/3.5/5.0	3201-BNB	Single	-	GMS-BNBL	LL2-BNB-H	-	CMFit10-BNB-H	-	3D-BNB	AC-BNB5	-	-
3301	Bredent Medical	Sky	3.5 / 4.0	3301-SKR	Single	-	GMS-SKRL	LL2-SKR-T	-	CMFit10-SKR-T	CMFit14-SKR-T	3D-SKR	AC-SKR5	-	-
3401	Neoss	ProActive	3.5/4.0/4.5/5.0/5.5	3401-NEP	Single	-	GMS-NEPL	LL2-NEP-T	-	-	CMFit14-NEP-T	3D-NEP	AC-NEP5	-	-
3501	Champions	(R)evolution	3.5/4.0/4.5/5.5	3501-CHR	Single	-	GMS-CHRL	-	-	-	CMFit14-CHR-H	3D-CHR	AC-CHR5	-	-
3601	KYOCERA	FINESIA Bone Level	3.2 / 3.4	3601-FBLN	Single	-	GMS-FBLNL	-	-	CMFit10-FBLN-H	-	3D-FBLN	AC-FBLN5	-	-
3602			3.7 / 4.2	3602-FBLR	Single	-	GMS-FBLRL	LL2-FBLR-H	-	CMFit10-FBLR-H	-	3D-FBLR	AC-FBLR5	-	-

Geo MultiUnit List (Scanbody / Cylinder / 3D Analog)

NO	Compatible to Implant Systems	Platform	Library Code	Type	SC(OS) Scanbody	LB2-short	LB2-long	Teparary Cylinder	3D Analog	Screw(5ea)	CCM Abutment (Co-Cr base)
203	Dentium Screw Abutment	4.5	0203-MUDE45	Bridge	SC-MUDE	LB2-MUDE45	-	-	-	AC-MUDE5	-
204		5.5	0204-MUDE55			LB2-MUDE55					
706	Straumann TissueLevel SynOcta coping	4.8	0706-MUIT	Bridge	SC-MUIT	LB2-MUIT	-	-	-	AC-MUIT5	-
707	Straumann Bonelevel SRA	3.4	0707-MUSR35	Bridge	SC-MUSR35	LB2-MUSR35	-	-	3D-MUSR35	AC-MUSR5	-
708		4.6	0708-MUSR46		SC-MUSR46	LB2-MUSR46			3D-MUSR46		
812	Nobel Multi Unit	4.8	0812-MUTB	Bridge	SC-MUTB	LB2-MUTB2	LB2-MUTBL2	TA-MUTB	3D-MUTB	AC-MUTB5	MUTB-N2
907	Dentsply Ankylos Multi-Uint	mini	0907-AKLM	Bridge	SCB-16	LB2-AKLM	-	-	-	AC-AKL5	-
908		regular	0908-AKLR	Bridge		LB2-AKLR					
1206	Zimmer Tapered Screw-Vent Tapered Coping	4.5	1206-MUTSV	Bridge	SC-MUTSV	LB2-MUTSV	-	-	3D-MUTSV	AC-MUTSV5	-
108	Osstem Multi Abutment	4.8	0108-MUTO	Bridge	SC2-MUTO	LB2-MUTO	LB2-MUTOL	-	-	AC-MUTO5	-

Geo Transfer Scanbody List

NO	Compatible to Implant Systems	Platform	Type	Section				
101	Osstem Implant TS Mini	3.0/3.5	Single	Diameter GH / Height	4.5mm	5.0mm		
				2.0 /5.0	GTS-SUM4020	GTS-SUM4520		
				4.0 / 7.0	GTS-SUM4040	GTS-SUM4540		
				6.0 / 9.0	GTS-SUM4060	GTS-SUM4560		
102	Osstem Implant TS Standard	4.0/4.5/5.0-	Single	Diameter GH / Height	4.5mm	5.0mm	6.0mm	7.0mm
				2.0 / 5.0	GTS-SURO4520	GTS-SURO5020	GTS-SURO6020	GTS-SURO7020
				4.0 / 7.0	GTS-SURO4540	GTS-SURO5040	GTS-SURO6040	GTS-SURO7040
				6.0 / 9.0	GTS-SURO4560	GTS-SURO5060	GTS-SURO6060	GTS-SURO7060
201	Dentium Super-Line Implantium	3.7/4.0/4.5-	Single	Diameter GH / Height	4.0mm	4.5mm	5.5mm	6.5mm
				2.0 / 5.0	GTS-DER4020	GTS-DER4520	GTS-DER5520	GTS-DER6520
				4.0 / 7.0	GTS-DER4040	GTS-DER4540	GTS-DER5540	GTS-DER6540
				6.0 / 9.0	GTS-DER4060	GTS-DER4560	GTS-DER5560	GTS-DER6560

	Compatible to Implant Systems	Diameter						
		4.0mm	4.5mm	5.0mm	5.5mm	6.0mm	6.5mm	7.0mm
Guide Tool	Osstem Implant TS Mini	GTST-S40-120H	GTST-S45-120H	-	-	-	-	-
	Osstem Implant TS Standard	-	GTST-S45-120H	GTST-S50-120H	-	GTST-S60-120H	-	GTST-S70-120H
	Dentium Super-Line Implantium	GTST-D40-127H	GTST-D45-127H	-	GTST-D55-127H	-	GTST-D65-127H	-





Digital dentistry has revolutionized the dental industry forever.
To provide a better CAD-CAM experience to our customers, we founded GeoMedi in 2009.

GeoMedi's core value is diversity, expertise, and customer satisfaction.

We have one of the most diverse compatible implant systems which meet most of your requirements.
We strive to develop more implant systems with superior quality.

(주) 지오메디
- 경기도 의왕시 이미로 40 (포일동, 인덕원IT밸리) D동 B112, 702~705, 709-1, 810-2, 811호
- Tel : 02-588-2871
- Fax : 02-6280-2849
- E-mail : sales@geomedi.com
- WebSite : www.geomedi.com

GeoMedi Co., Ltd.
- #B112, 702~705, 709-1, 810-2, 811, Unit D, Indeokwon IT Valley, 40, Imi-ro, Uiwang-si, Gyeonggi-do, Korea
- Tel : 82-2-588-2871
- Fax : 82-2-6280-2849
- E-mail : sales@geomedi.com
- WebSite : www.geomedi.com



GeoMEDI